

Richard B. Brown Curriculum Vitae

University of Utah
College of Engineering
1692 Warnock Engineering Building
72 S. Central Campus Drive
Salt Lake City, Utah 84112

brown@utah.edu
(801) 585-7498
<http://www.coe.utah.edu/brown>

Personal

Degrees

Ph.D. E.E.	University of Utah Dissertation: Multiple-Sensor Chemical Transducer	June 1985
M.S.E.E.	Brigham Young University Thesis: Logic State and Timing Analyzer	April 1976
B.S.E.E.	Brigham Young University Cum Laude, Highest Honors, University Scholar Designation	April 1976

Positions at the University of Utah

College of Engineering	Salt Lake City, UT
Dean	7/04 –
School of Computing Professor	7/04 –
Electrical & Computer Engineering Professor	7/04 –
Bioengineering Adjunct Professor	4/05 –

Positions at the U of Michigan

Electrical Engineering and Computer Science Department	Ann Arbor, MI
Adjunct Professor	7/04 -
Interim Chair	7/01 - 5/03
Associate Chair	10/97 - 6/01
Professor	9/97 - 6/04
Associate Professor	9/91 - 8/97
Assistant Professor	9/85 - 8/91

Other Positions

IBM Austin Research Labs	Austin, TX
Visiting Scholar, Exploratory VLSI	9/03 - 5/04

Studied low-power circuit techniques in advanced processes while on sabbatical.

Cascade Design Automation	Bellevue, WA
Visiting Scientist, Advanced Technology	9/91 - 7/92

Explored advanced electronic design automation concepts and CAD for GaAs technologies while on sabbatical.

Cardinal Computer Division, Cardinal Industries	Webb City, MO
Manager Computer Development	1/78 - 9/81

Led team in the development of computers, instrumentation, and printers for process control and electronic weighing applications.

Holman Industries	Oakdale, CA
V.P. Engineering	1/76 - 12/77

Designed microcomputer system and dot matrix printers. Directed new product development and supervised R & D department.

Research

Prof. Brown conducts research in two general areas, solid-state sensors and integrated circuits. In the sensor work, he has enjoyed fruitful collaborative relationships with researchers in chemistry and medicine. Brief summaries of the major accomplishments of his research group follow in related sub-areas ranging from sensors to microprocessors. Ph.D. students' (and post-docs'*) names are listed with the area most closely aligned to their dissertations to aid in identifying the publications related to each topic.

Chemical Sensors: (H. Goldberg, M. Ger, H. Cantor, G.S. Cha*, R. Hower, S. Martin, S. Joo*, K. Campbell)

Prof. Brown started working in the area of solid-state liquid chemical sensors in his own Ph.D. research at the University of Utah. Under the direction of Prof. Robert Huber, with Jiri Janata as a very involved member of his committee, he developed a miniature silicon-based chemical sensor array with on-chip electronics. In this project, he developed a junction-isolated NMOS semiconductor process and designed an eight-ion-sensor array using ionophore-doped polymeric membranes, in which the signal from each sensor electrode was buffered by an integrated operational amplifier. This first-of-a-kind smart chemical sensor included digital control circuitry and an analog multiplexor which reduced the number of interface connections needed to seven, which fit on the narrow (1.4 mm) end of the rectangular sensor chip. The junction isolation allowed the sensor chip to be used in solution with only the bond-wire end of the chip encapsulated. The use of integrated electronics improved the signal to noise ratio by more than three orders of magnitude, and facilitated the concurrent use of multiple sensors selective to different chemicals. This chip generated all of the data needed to implement chemometrics techniques for reducing errors due to imperfect selectivity of the ionophore-based transducers.

As a faculty member at the University of Michigan, Prof. Brown, with his students, continued to solve the fundamental problems in solid-state chemical sensors. They optimized ion-selective membranes for all of the simple ions based on polyurethane and silicone matrices that had vastly improved biocompatibility and adhesion to the substrate compared to the commonly-used PVC. They developed mass fabrication processes that yielded membranes having precisely controlled dimensions and electrochemical characteristics. They developed a Silicon-on-Insulator (SOI) semiconductor process to give intrinsic encapsulation to these devices that must operate in conductive solution without shorting high impedance signals to the solution. Throughout the sensor research, novel packaging approaches were developed. The SOI process included a p-i-n photodiode that was used to implement an optically-coupled sensor for detecting alcohol and other non-ionic species. A smart sensor chip was fabricated in this SOI process that included an analog multiplexor, a programmable gain amplifier, a 12-bit analog-to-digital converter, digital control circuitry, and a standard serial interface to a computer -- the whole instrument was on the sensor chip.

Solid-state conductivity sensors were developed for quantifying hematocrit levels and the ionic strengths of other fluids. Enzymatically- and immunologically-coupled sensors were demonstrated. Amperometric sensors were developed for detecting and determining the concentrations of neurochemicals (dopamine, serotonin, acetylcholine), heavy metals (arsenic, lead), and any of a host of other molecules that have well-defined redox potentials which lie within the water window. With stripping voltammetry, these sensors were able to detect Arsenic at levels as low as 0.3 parts per billion. These sensors were also integrated with electronics, this time using commercially processed CMOS circuits as the substrate; post-processing steps developed in Prof. Brown's lab were employed to form the sensors on top of the circuitry. A model of the full sensor/electronics system was developed to evaluate the noise and optimize the sensor and circuit design. One of the circuits developed and integrated with the sensor was a fully differential potentiostat, which doubled the effective voltage swing available for driving the redox reactions, thereby allowing the electronics to be implemented in modern, fine-featured, low-voltage semiconductor processes. Multiple sensor types were merged onto the same chip to achieve a wide range of sensing capabilities.

With a portfolio of patents generated from this work, Prof. Brown was involved in founding two companies, i-SENS and Sencicore, which commercialized the solid-state sensor technology. i-SENS, headquartered in Seoul, Korea, manufactures and markets glucose sensors and glucometers throughout the world. It has a capacity to make 1B sensors per year in a new factory in Wonju City, Korea. The company has also developed a bed-side blood gas and electrolyte instrument that will soon be manufactured in a new factory in the Incheon Free Economic Zone. Sencicore, founded in Ann Arbor, MI, focused on water sensing with a hand-held instrument based upon a single silicon sensor chip that quantifies 18 components/parameters of clean water. The company had more than \$30M of venture capital, and was sold to GE Water and Process Technologies in April of 2008.

Since being back at the University of Utah, Prof. Brown and his group, with Profs. Cha and Nam from Kwangwoon University, have developed several novel reference electrodes that can be miniaturized to sizes comparable to those of the sensors. Working with Prof. Henry White's team in Chemistry, they developed the world's smallest man-made potentiometric sensor, a nanopore-based device that was used as a scanning chemical microscope to plot the ion flux passing through an opening the size of a human skin pore. Prof. Brown's group has developed silicon-based nanopore sensors that can be mass-fabricated with varying, well-controlled pore sizes. The devices have metal electrodes in isolated cavities behind the nanopores. These structures will be the basis of nano-potentiometric sensors, nano-amperometric sensors, and nano particle sizers/counters. The isolated cavities with independent Pt and IrO_x electrodes will make possible the concurrent operation of these various sensor types in an array, including multiple particle counters having different size ranges, and concurrently counting particles of opposite polarity. Such a device will find many applications in environmental water and air quality testing, national security applications, and nano- and bio-technology research.

Neural Interfaces: (H. Cantor, T. Strong, R. Franklin, S. Kellis)

Prof. Brown's work in neural sensors started as an effort to apply his group's chemical sensing technology to silicon-based brain probes which, at that time, detected only electrical signals. Communication between neurons happens, of course, through both electrical and chemical means, so adding the ability to identify and quantify the neurochemical concentrations in the vicinity of a neuron, along with the electrical spikes, could greatly enhance the understanding of neuron behavior. Their first design was a silicon-based, microfabricated, passive, *in vitro* array organized in a 4 x 4 pattern, in which each sensor used an electrode for sensing the action potential, and with other electrodes formed a voltammetric sensor for monitoring neurochemicals. Five versions of this array were made, with electrode sizes ranging from 2 to 100 μm. The sensor array was packaged in a ceramic integrated circuit pin grid array package with lead wires encapsulated, and a small cloning chamber cemented to the sensor chip surface. Human stem cells (hNT cell line from Stratagene) were plated onto the surface over an appropriate matrix, and cultured into neurons. Neurons from this cell line produce spontaneous electrical activity, and secrete acetylcholine and dopamine. Calibration curves for dopamine taken in culture media indicated detection limits for dopamine below 100nM. Neuroelectrical and neurochemical recordings were taken on 24 cell cultures over 75 days. Action potential propagation from neuron to neuron was evident in the data. Electrical spikes and chemical response were correlated in many instances. A cell behavior known as potentiation, in which a neuron fires to prime or activate a particular neural pathway was exhibited in the data; a succeeding pulse causes a larger reaction because of the initial priming. The capture of such events, with multiple action potential spikes in rapid succession followed by a large release of neurotransmitter, highlights the capability of the devices for use in studying the interdependence of neuroelectrical and neurochemical behaviors. This was, to our knowledge, the first case of recording such data without external stimulation. A complete computer model of the sensor's electrochemical behavior was developed for use in optimizing interface electronics. To improve signal fidelity, CMOS potentiostats were integrated into the sensor using the post-processing approach mentioned in the Chemical Sensors section above.

After returning to Utah, Prof. Brown and his students implemented their neurosensors as *in vivo* brain probes that could concurrently detect neurochemical and electrophysiological signals. They studied

various materials as they sought a biocompatible reference electrode for neuroprobes, and eventually developed an activated Iridium Oxide Film electrode with excellent characteristics for use in sensing neurochemicals. Silicon needle probes were designed with Pt and IrO_x electrodes on the same shank in appropriate configurations for concurrently measuring local field potentials, action potentials, and neurochemical concentrations. The probes were coated with the perfluorinated ion-exchange resin Nafion to improve selectivity of the platinum sites to more than 100:1 for dopamine over interfering species. The multi-modal probes were implanted in the striatum of urethane-anesthetized rats to examine reciprocal influences of amperometry on neuronal activity, and spatiotemporal characteristics of dopamine effluence vs. local field potential and spike activity following electrical stimulation of the medial forebrain bundle (MFB). The utility of these probes for neuroscience studies was demonstrated as extra-synaptic dopamine overflow in the striatum was correlated with local field potentials and electrical spike activity, driven by the frequency and amplitude of electrical stimulation of the MFB. These probes are now being made available commercially through NeuroNexus Technologies, Ann Arbor, MI, a company founded by Prof. Brown's collaborator, Daryl Kipke.

Chronic implantation of neural probes is problematic because as the probes move in the soft brain tissue, they see signals from different neurons, necessitating constant retraining of the decoder. Furthermore, biology tries to encapsulate the foreign body, insulating its sensing electrodes from the signals. To achieve better chronic performance of a brain-machine interface, Prof. Brown and his student, Spencer Kellis, in conjunction with neurosurgeon Paul House and Bradley Greger in Bioengineering, have experimented with tiny (40 μm micro electrocorticographic or ECoG) electrodes placed on the surface of the brain. Experiments were conducted to determine whether non-penetrating, high-density microwire electrodes could provide sufficient information to serve as the interface for decoding motor cortical signals. These electrode arrays were implanted over the motor cortex in epilepsy patients who performed reaching movements with a computer mouse while data were recorded. The whole array of 16 electrodes fits in the area normally occupied by a single standard ECoG electrode. It was learned that the electrodes are capable of recording predominantly linearly-independent data if placed 2mm or more apart. Signals from cortical columns, sensed by the micro ECoG electrodes, were filtered into frequency ranges, and the amount of power in each band was monitored. Principle component analysis of the filtered and binned data was used to distinguish between the two movements. The gamma band power at 30-40 Hz increased substantially beginning 500 ms before movement in the contralateral direction; movements in the ipsilateral direction corresponded to a general attenuation in power over the gamma band. The algorithm was able to predict with good accuracy which direction the patient was going to move his arm. While the studies to date involved movement of the arm, the inter-electrode spacing was designed to allow for the decoding of individual finger and hand movements, hopefully enabling the dextrous intuitive control of a prosthetic arm and hand. More detailed studies using both hand and arm movement tasks and more sophisticated decode paradigms will be needed to validate the applications of the non-penetrating electrode arrays. The group's latest sensing accomplishment, first reported at the Society for Neuroscience meeting October 18, 2009, is the first differentiation of spoken words using non-penetrating electrodes. Their hope is that this technology will lead to an option for locked-in patients to communicate. Prof. Brown's group is developing a low-power mixed-signal microprocessor to serve as an implanted interface to micro ECoG arrays (see below).

Electronic Circuit Clocking: (P. Stetson, A. Drake, F. Gebara, M. McCorquodale, N. Gaskin)

All synchronous digital systems employ a clock to pace the operation of the circuit. In modern integrated circuits, the clock design has a major effect on both the speed and power dissipation of the circuit. Prof. Brown's group has contributed in several ways to improved integrated circuit clocking. In the mid 1990s, as microprocessors became faster than the clocks that could be distributed on printed circuit boards, phase-locked loops, which multiply the clock frequency, became necessary on-chip modules. The group designed CMOS and Complementary Gallium Arsenide (CGaAs) digital phase-locked loops and delay-locked loops (which align the phase but do not change the frequency) that employed current-steering logic and novel low-voltage circuit techniques to achieve the best phase noise results for a given operating voltage reported to that date. This work included a new simulation technique for analyzing

phase jitter. As microprocessor clock frequencies continued to rise, there was a need for ever faster phase-locked loops. Prof. Brown's group developed a new class of oscillators based on an efficient NOR-gate interpolator. Oscillator frequencies as high as 4.6 GHz were achieved in a 0.18 μm CMOS process, with a 3X tuning range and rms jitter values as low as 0.87ps. The group also experimented with a resonant clock distribution system, the first to use the parasitic wiring and gate capacitance of the clock tree as the resonant capacitance in a monolithic harmonic clock oscillator. A method for characterizing the affects of circuit data flow on jitter in both standard and resonant clocks was developed, including a method of extracting the jitter contribution caused by data from time-domain and frequency-domain stability measurements.

While designing a commercial microprocessor as a consulting project, Prof. Brown learned that the quartz crystal oscillators typically used as the time-base for digital systems sometimes cost more than the microprocessor they support. The idea was conceived to develop an all-silicon clock generator that could be integrated right onto the microprocessor, replacing the off-chip crystal and passive devices required to implement a crystal oscillator. The researchers evaluated a number of options, and settled on a harmonic oscillator with on-chip inductors and capacitors, and extensive compensation circuitry for temperature and voltage variation. This introduced an entirely new approach to clocking microprocessors. Instead of starting with a stable lower-frequency clock and scaling it up with a phase-locked loop, they generated a very high frequency clock and divided it down to the desired frequency. The crystal-derived clock is very clean because of the crystal's high Q; the harmonic oscillator's output is not as good in terms of jitter and stability. But just as noise worsens as the square root of the multiplier in a phase-locked loop, it improves as the square root of the divisor in these circuits, yielding a high quality clock at the desired frequency. The research involved developing sacrificial under-etching to maximize the on-chip inductor's Q with no added masks or processing steps, so the oscillator could be fabricated in standard, advanced CMOS processes. The project included a great deal of theoretical noise analysis, and some correction of commonly accepted theory. Major contributions included novel analog circuitry to stabilize the frequency over voltage, temperature and device parameters; fast initial tuning techniques; and packaging solutions to avoid humidity sensitivity. Significant contributions were also made in design methodology for mixed technology (digital, analog, RF and MEMS) systems on chips, and a CAD tool called Newton for MEMS device design has been licensed to a third party. The resulting all-silicon harmonic oscillator can be integrated onto a microprocessor or other circuit, entirely eliminating the need for a crystal oscillator. These all-silicon oscillators have the unique characteristic that they reach stability within as little as 20 nS after power is applied, compared to hundreds of μS for a phase-locked-loop to reach stability. This makes practical fine-grained power cycling to reduce power dissipation, a feature that is particularly valuable for extending battery life in portable or implanted electronics. They are smaller, lower-power, more robust physically, and lower cost than crystal oscillators or MEMS resonant oscillators.

Prof. Brown and his student, Michael McCorquodale, founded Mobius Microsystems to commercialize all-silicon harmonic oscillators. Integrated versions of the oscillators are in volume production on USB interface chips, and discrete versions are being sold as pin-for-pin replacements for motherboard clocks and as bare die to be bonded into a package with the primary IC, forming a system-in-a-package solution that makes the part self-clocked. The monolithic CMOS harmonic oscillators appear to be a disruptive technology that could have broad impact on the electronics industry. Top-tier Silicon Valley VCs have invested more than \$20M in the company to date. New applications in a number of product sectors are developing as the frequency accuracy and jitter are continually improved; the latest parts are accurate to within 20 ppm over the commercial temperature and voltage range. Prof. Brown's group integrates these clocks onto the embedded microprocessors that they design, and they are exploring new applications for the basic technology, ranging from ultra-wideband radio transmitters to sensors.

Circuit Design: (K. Wu, P. Parakh, C. Gauthier, K. Das, R. Rao, J. Sivagnaname, M. Guthaus, A. Ghosh)

The design of circuits underpins all of the areas addressed by Prof. Brown's research group, so there is overlap between some of the activities in this and the other sections.

Prof. Brown's group and researchers from the GE Corporate Research and Development Center significantly raised the operating temperatures of bulk CMOS circuits by using a thin epi substrate, increasing doping levels, and using refractory metal for interconnect. They increased 300C latchup holding voltage by 4X and holding current by 30X over an equivalent bulk CMOS process. High-temperature design rules were developed that assured latchup-free operation at 200C. A transistor model that accurately represented the space charge at high temperatures (by solving the Poisson's equation and two-carriers' current continuity equations instead of assuming the depletion layer approximation) provided insights into circuit operation at very high temperatures. For example, it became clear that silicon circuits can never operate at high speeds and high temperatures because, in addition to the mobility degradation, the small-signal capacitance equivalent depletion-layer width becomes very small at high temperatures, significantly increasing the parasitic capacitive load.

While microprocessor clock speeds increased during the 1990s at a rate of about 40% per year, off-chip signaling rates improved more slowly, at about 14% per year. Concurrently, the number of transistors on chips increased according to Moore's Law (doubling about every 18 months) but the number of package pins increased at only about 12% per year. Despite the development of more latency-tolerant architectures (multi-level caches, prefetching, stream buffers, etc.), these effects led to a significant bandwidth bottleneck between processor chips and off-chip memory. Prof. Brown's group developed a switched-current transceiver with an active current mirror receiver that achieved Gb/s/pin operation in a 0.5 μm CMOS process (current technology at that time). This cascoded switched-current signaling architecture was also implemented in CGaAs and compared to Gunning Transceiver Logic, large-buffer voltage signaling, and differential signaling. The switched-current interface was found to be four times more power efficient than similar source-synchronous interfaces.

Prof. Brown pioneered the use of commercial CAD tools in university courses and research, but when a design automation capability they needed was not available in the commercial tool suites, his group sometimes developed it, always building on top of the best available commercial tools and making the new tools compatible with commercial tool flows. Examples of such contributions were the tools for high-performance gallium arsenide (GaAs) circuits and multichip modules. They developed circuit design techniques and CAD tools that guaranteed process tolerance in the circuits; SRAM compilers that optimize the design for the desired power-delay product; a tool that optimally places modules on a datapath; an automatic block placement tool that minimizes routing congestion; an area-I/O place and route tool for flip-chip packaging; and software that guides engineers through the cost-benefit analysis for nonlinear process scaling. On a sabbatical, Prof. Brown worked with Cascade Design Automation to develop a commercial GaAs circuit compiler that incorporated many of these capabilities. In work that was related to clocking, statistical design, and process parameter variation, his group developed a CMOS clock tree optimizer that correlated both clock and data-path parametric sensitivities to make designs more robust. A quadratic programming heuristic was introduced that was able to realize this improvement without sacrificing deterministic skew. The resulting trees have an average improvement of 16.3% in expected skew with the addition of only 2% to clock power. In a project aimed at making the performance of synthesized circuits approach that of custom circuits, the team developed a logical-effort-based transistor sizing tool, coupled to a cell synthesizer that generated physical, logical and simulation views (years before commercial tools offered this capability), and datapath tiling for wirelength minimization and predictable loads. The on-the-fly library generator enabled studies of circuit performance vs. library size. When the group needed embedded benchmark programs that were not readily available, they developed and published the MiBench suite, which is now widely used in industry and academia for benchmarking embedded processor architectures. According to Google, the original paper has been cited 953 times, and there are more than 22,000 references to it on the internet. Prof. Brown's group saw a need for a

library of digital and analog circuit modules that university students could use in class and research projects, so they developed the University of Michigan Intellectual Property Source (UMIPS), and populated it with circuits from their own projects. This resource facilitated collaboration and the reuse of circuits, so that designers could focus on the modules that were unique to their projects. Users from around the world have tapped this resource.

Working closely with the IBM Research Labs, Prof. Brown and his students developed circuit techniques for partially-depleted (PD) and fully-depleted (FD) Silicon-on-Insulator (SOI) technologies. Most of this work had a theme of reducing power dissipation at a given circuit speed. Prof. Brown spent a sabbatical focused on low-power circuits in SOI in the Exploratory VLSI group of the IBM Austin Research Laboratory just before moving to the University of Utah. Because of SOI's superior short channel effects and better scalability, devices of the future will implement some form of SOI (planar, Tri-Gate, FinFET). As semiconductor process dimensions and film thicknesses have been scaled, subthreshold source-drain leakage and gate-source leakage have increased to the point that the leakage power in ICs threatened to exceed dynamic power dissipation. New gate insulators and other process techniques are important parts of the solution, but good circuit techniques are also critical. Prof. Brown's group developed circuits that mitigate the parasitic bipolar effect and timing uncertainty in PD SOI. They studied and refined multi-threshold CMOS (MTCMOS) for PD SOI, improving the gate delay by as much as 45% and the standby leakage by a factor of eight. Similar techniques were shown to be effective in dynamic logic, as well. Design automation tools were developed to guide the design of SOI circuits and implement the new circuit techniques. An optimal header/footer tapering algorithm was developed for FD SOI; it reduced standby leakage by a factor of 20 over that of conventional MTCMOS. A dynamic logic scheme for FD SOI circuits was developed that reduces leakage power by a factor of 10 to 30 while speeding up the circuits by 15% over a conventional domino logic scheme. All of the new techniques were evaluated in terms of their effects on power rail bounce. Prof. Brown's group was first to study power-performance trade-offs of SOI circuits taking gate leakage into consideration. CAD tools for efficiently estimating gate leakage were developed, and efficient methods for determining the lowest-leakage data vectors to be applied to static combinational circuits in standby mode were developed. Circuit reorganization schemes were developed for both static and dynamic circuits that reduced gate leakage by 75% and total leakage by 40%. Power dissipation in data buses was reduced through the development of skewed pulse buses, which achieved a 20% reduction in active mode leakage, an order of magnitude reduction in standby leakage, and a delay improvement of 20%. Leakage was studied as a function of process parameter variation, and a model was developed for determining the optimal supply voltage for parametric yield optimization. Analog circuits in SOI, such as a body-compensated current mirror that is stable in the presence of gate leakage, and comparators that employ offset cancellation through body biasing, were also designed, fabricated and tested.

In light of the emergence of SOI technologies and effects that have come with aggressive scaling of electronic devices (short channel non-idealities and leakage), Prof. Brown's group took a fresh look at unipolar logic families, using datapath blocks from their PowerPC-architecture PUMA Processor for realistic evaluations. They showed that pseudo-nMOS circuits could reduce standby leakage current by a factor of five, and that these circuits could be designed closer to the maximum performance point, since the load bias can be easily adjusted to compensate for process parameter variability. They also developed two variants of dynamic logic, controlled-load limited switch dynamic logic, and hybrid limited switch dynamic logic, which offer better immunity to noise and charge sharing than basic LSDL. Wide implementations of CL-LSDL were shown to reduce power by as much as 50% over conventional CL-LSDL circuits, and H-LSDL improved delay by 30% over basic CL-LSDL. These logic styles are well-suited for high clock rate, high switching activity circuits such as digital signal processors, memory decoders and datapath circuits, and they can be freely mixed with other logic styles.

Among the greatest challenges in modern semiconductor technologies, where the gate oxide is only a few atoms thick and edge roughness of physical features makes a significant difference in transistor dimensions, is the variability of device parameters. Prof. Brown's group has developed a technique for detecting parameter variation and compensating for it, so that circuits can be designed for

the desired operating point, rather than needing to be over-designed to tolerate large parameter variations. Other detection schemes are based purely on a representative circuit's delay; they function properly only if the parameter variations of the p- and n-transistors are shifted in the same direction. The approach developed in Prof. Brown's group uses delay, but also considers rise and fall times of signals in the representative circuit, thereby providing independent information on parametric shifts in the NMOS and PMOS transistors. With this information, the overall circuit speed can be adjusted by tuning the power supply voltage, and the gain for each transistor type can be adjusted independently using substrate bias to drive the operating point back to the desired position. This detection and compensation approach is in fact a low-power circuit technique because it minimizes the power wasted in designing circuits that will operate with broad parameter variation, and it balances the gain of the p- and n-transistors, forcing the circuit to the most efficient operating point. This technique for forcing transistors to the optimal operating point may be even more useful in analog circuits than in digital circuits. The approach has also been successfully employed by Prof. Brown's group to monitor PMOS devices for negative bias temperature instability and to compensate for this transistor-aging phenomenon. As in all of the research in Prof. Brown's group, the circuits are not only designed and simulated, but are also fabricated, tested, and demonstrated in realistic applications.

High Performance Microprocessors: (J. Dykstra, A. Chandna, T. Huff, M. Upton, T. Basso, S. Gold)

The late 1980s and early 1990s were times of exploration of various semiconductor technologies for the fabrication of microprocessors. With DARPA funding, Prof. Brown's high-speed circuits group designed three gallium arsenide microprocessors in E/D MESFET technology, three in CMOS, and one in complementary heterostructure-insulated-gate FET technology (CGaAs). Prof. Brown was a proponent of holistic design and multilevel optimization; the research group's activities covered many facets of high-performance processor design, including process technology, circuit design, packaging, CAD tools, architecture, and the architecture's relationship to software compilers. In 1993, they presented at the International Solid-State Circuits Conference, a MIPS-architecture GaAs microprocessor that operated at speeds as high as 200 MHz with 24W power dissipation. That clock speed was exceeded only by an ECL processor presented at the same conference, which was clocked at 300 MHz, but dissipated 115W. Close working relationships developed between this university group and Vitesse Semiconductor, Motorola, MIPS Computer Systems, Cray Computer, Tera Computer, IBM, Green Hills Software, and Cascade Design Automation. The results of their exploration of very large-scale digital circuits in GaAs influenced technology directions taken by Vitesse and Motorola, and paved the way for Tera Computers to build a GaAs supercomputer.

Prof. Brown's group developed a number of MESFET circuits which demonstrated novel ideas at the gate level (e.g., the patented current-mirror memory cell and power-rail logic); module level (e.g., high-speed modified Ling adder); and microarchitecture level (e.g., decoupled superscalar architecture and partially-decoded instruction cache). They were the first group to implement dynamic circuits in complementary GaAs. They also contributed to advanced packaging technologies for high performance computing (multichip modules, fine-pitch flip-chip gold bonding, and area-array I/O). They optimized the PowerPC microarchitecture for implementation in a small transistor-budget, and demonstrated a radiation-hard CGaAs microprocessor that operated at 86 MHz and 2W. Prof. Brown's research group has been seen as one of only a few at universities that has the capability and facilities to prototype modern microprocessors.

Mixed Signal Microprocessors: (K. Kraver, F. Gebara, R. Senger, E. Marsman, N. Gaskin, B. Redd)

Working with colleagues at Michigan, Prof. Brown brought his sensor and integrated circuit research areas together through the design of the MS-8 mixed-signal microprocessor which served as a single-chip interface instrument for the solid-state chemical and physical sensors that he and others have developed. The MS-8 included voltage, current and capacitive inputs, an accurate on-chip temperature sensor, an analog multiplexer, bandgap voltage reference, programmable-gain instrumentation amplifier, $\Sigma\Delta$ analog-to-digital converter, a complete 8-bit microprocessor, on-chip memory, a 16x16 multiply 40-bit

accumulate MAC for signal processing, a variety of counters/timers, and serial and parallel I/O modules. The microprocessor instruction set and modified Harvard architecture were original to this project and aimed at sensor-interface needs; they included bit test and set instructions, a fast interrupt response with 32 priority levels, and ultra-lite direct memory access. It was fabricated in a 0.35 μm digital process.

Prof. Brown was one of five faculty members, led by Ken Wise, at the University of Michigan, who wrote the proposal for the Michigan Wireless Integrated Microsystems Engineering Research Center. This ERC proposal, focused on microsystems for remote environmental sensor and biomedical implant applications, referenced the MS-8 as evidence that the proposers could implement fully integrated systems. Prof. Brown was the thrust leader for Micropower Circuits in the ERC until he moved to become Dean of Engineering at the University of Utah. He has continued to be fully involved in the Center, participating in weekly administrative meetings (by video conference), industrial advisory board meetings, retreats, and annual reviews.

Low power circuits have been a focus of the ERC, since both of its testbeds require operation on battery power. Three microprocessors have been designed in the WIMS series. They share a 16-bit RISC architecture with a 3-stage pipeline and windowed register file that was designed from a clean sheet of paper, on-chip memory, a loop cache, several peripheral communication interfaces, and the all-silicon harmonic oscillator described above. Efficient methods were developed for measuring the energy expended in the execution of each instruction, and a power-aware C compiler that uses this information was developed for the WIMS instruction set architecture by Prof. Scott Mahlke's group at Michigan; feedback from the compiler studies was used to optimize the architecture. The Gen 1 processor, implemented in a 180 nm CMOS technology, was aimed at remote environmental sensing applications. It incorporated a full analog front-end that pushed the limits of low-voltage, low-power analog design in advanced digital processes. The nominal process operating voltage was 1.8 V; to accommodate the voltage change as a single battery cell falls from fully charged to its end-of-life potential, the analog circuits were designed to operate on any voltage between 1.8 V and 900 mV. Weak inversion biasing was used extensively to reduce the need for voltage headroom, to reduce transistor noise and power, and to increase amplifier gain. A second-order $\Sigma\Delta$ modulator was employed on this chip. When driving a 10 k Ω , 150 pF load, the opamp achieves a DC gain of 80 dB, a unity gain frequency greater than 1.3 MHz, and a phase margin of 60°; the opamp draws a quiescent current of 128 μA . The sub-1 V $\Sigma\Delta$ modulator is enabled by a dynamically biased pseudo-differential integrator. This integrator supports low-voltage operation by employing the reset-opamp technique, thus avoiding the need for high-swing switches. Correlated double sampling curtails the effects of $1/f$ noise, a more serious problem in fine-featured processes.

Gen 2, also implemented in a 180 nm CMOS process, was designed as an implantable cochlear prosthesis controller. In addition to the processor core, memory and peripherals, it includes a digital signal processor block consisting primarily of cascaded 1st, 6th and 4th order infinite impulse response filters that implement the Continuous Interleaved Sampling Algorithm used to drive the electrodes in cochlear prostheses. To provide the required flexibility for patient fitting, all filter coefficients were made programmable by the processor. This chip included clock gating, the ability to modify the clock speed dynamically, and the ability to employ different clocks in the core and in the DSP. Prof. Brown's group took the lead in implementing the cochlear prosthesis testbed, integrating the Gen 2 processor, application software, and chips designed by other WIMS researchers into the demonstration system.

The Gen 3 processor is being designed in a 65 nm CMOS process to address brain machine interface needs. It will include the processor, all-silicon clock generator, memory, hardware DSP functionality, an analog front-end customized for neural signals, and an ultra-wideband wireless interface. This version of the processor adds DMA instructions to efficiently move blocks of data or machine state to and from memory. Test chips implementing most of the modules have been fabricated and tested. The fully-functional microprocessor core dissipates 350 μW running at 10 MHz or 10 mW running at 100 MHz.

Teaching

New Courses Taught at Univ. of Michigan

<u>Title</u>	<u>Introduced</u>	<u>Taught</u>
EECS317 Solid-State Devices and Digital Electronics	F88	F88, F89 W93, W94, W95

Prof. Brown organized EECS317 to have an integrated-circuit orientation. This course gave all EECS students a good introduction to active devices and large-signal circuits, and prepared them for the VLSI course which followed in the senior year. Large-signal circuit models for diodes and transistors were developed from a physical perspective, and circuit analysis with active devices was introduced using digital circuits. The homework assignments emphasized the complementary use of hand analysis and computer simulation.

EECS427 VLSI Design I	F90	F90, W96, W97
-----------------------	-----	---------------

In 1990, Prof. Brown modified EECS427 so that it was organized around the design of a simple 8-bit CISC microprocessor, the baseline architecture of which was given to students as a starting point for their projects. Working in pairs, they chose an application for their processor and made all design decisions to support this application. Lectures covered topics just in time for students to design the cells which were due each week. This project and general approach to 427 were used through 1995. VLSI Design I was a major design experience before ABET had such a requirement.

In 1996, he had a chance to teach EECS427 again, and renewed and updated it in major ways. The project was changed to a simple 16-bit RISC processor and design teams grew to four members. A number of new CAD capabilities were put into place to reduce design time, to introduce students to important industrial CAD capabilities, and to improve design methodology. At the end of the term, each team had designed and verified their microprocessor.

EECS627 VLSI Design II	W86	W86, W87, W88, W89, W90, W91, F92 F93, F94, F95, F96, F97, F98, F99, W01
------------------------	-----	---

Prof. Brown developed EECS627, the UM advanced integrated circuit design course, in 1986; it had been taught once before, but was a very different course. Students gain maturity in 627 as they are exposed to advanced VLSI topics in lectures, and have a realistic design experience. In '86, he introduced CMOS. In '87, a silicon compiler and other commercial CAD tools were introduced. In '92, he introduced design entry with the hardware-description language, Verilog. This course has continued to change to include current topics in VLSI and the latest CAD capabilities. EECS627 has enabled many research projects and has done much to improve the reputation of the Department in the area of VLSI.

In 2003, Intel identified the UM VLSI curriculum as the model curriculum, and funded Prof. Brown and several colleagues to document and disseminate the curriculum domestically and internationally (<http://www.intel.com/education/highered/VLSI.htm>).

Short Courses and Workshops

<u>Course</u>	<u>Location</u>	<u>Date</u> <u>Enrollment</u>
Ideal VLSI Curriculum	University of the Philippines, Manila	Aug. 9-10, 2005 18
Gallium Arsenide VLSI (Instructor)	Centre Applied Microelectronics Universidad de Las Palmas Gran Canaria, Spain	Nov. 28-29, 1996 35
GaAs IC Primer Course (Organizer)	1995 GaAs IC Symposium San Diego, CA	Oct. 29, 1995 47
VLSI Digital GaAs Circuit Design 'How to Build a 1 GHz Microprocessor' (Instructor)	Helsinki University of Technology Espoo, Finland	July 4, 1995 28
GaAs IC Primer Course (Instructor)	1994 GaAs IC Symposium Philadelphia, PA	Oct. 16, 1994 37
Device Selection and Performance for High Temperatures (Instructor)	1 st Intl. High Temp. Elect. Conf. Albuquerque, NM	June 16, 1991 145
High-Temperature Electronics Workshop (Chairman)	Ford, GE and UM Ann Arbor, MI	Sep. 28, 1990 16

Contributions to Teaching at UM

When Prof. Brown arrived at the University of Michigan in 1985, the EECS Department's National Advisory Committee had just published a report which recommended that the Department strengthen the integrated circuit design area (VLSI). He decided to make this a focus of his teaching effort.

Early in his career at UM, Prof. Brown realized that one could not teach proper design methodology with the CAD tools that were available at universities at that time. With the support of the Department and College, he chaired an ad-hoc committee to evaluate and procure new CAD tools, with the vision of replacing the fragmentary collection of software packages used in the Department with a consistent set of tools that would satisfy their instructional and research needs. The University of Michigan pioneered the use of commercial electronic CAD tools in academia, as the major vendors accepted his proposals to donate their software to the University. His interaction with these companies helped them to establish university programs which have benefited many other schools. The Department's undergraduate circuit and computer courses were restructured to use the commercial design automation software. These tools have been used throughout the undergraduate and graduate curricula at Michigan, and many universities have used the University of Michigan as a model for updating curricula to include electronic design automation.

Prof. Brown's proposal to add VLSI as a new major area of study for M.S. and Ph.D. students led, with the help of others, to the establishment of a new kernel for graduate students. From both academic and research points of view, VLSI grew into one of the Department's strong areas. Prof. Brown developed both the introductory and advanced VLSI courses at Michigan. These courses are widely known in industry and academia for giving students realistic design experiences which prepare them well for careers in integrated circuit design. Many universities have used the introductory course as a model. In addition to computing resources and CAD tools, students involved in VLSI courses and research need some specialized equipment to facilitate their work. Prof. Brown acquired for the Department plotters which can produce large color plots of chip layouts, an IC tester with 360 high-speed channels, and other test equipment that has enabled many class and research projects.

Prof. Brown organized a VLSI contest, originally founded by Kent Smith at the University of Utah, in which UM students participated for 15 years. It raised interest in VLSI at UM and served to improve UM's VLSI reputation with industrial companies and among peer institutions. Companies with an interest in VLSI donated prizes totaling \$15,000-\$20,000 each year. Judges from the sponsoring companies evaluated the entries from the participating universities. UM students did well in the contest. Mentor Graphics ran a Student VLSI Contest for four years which was patterned after this competition. Here too, UM students typically took the top prizes. In 2000, the Utah/UM contest was merged with a contest sponsored by the Design Automation Conference (DAC); it is now jointly sponsored by the International Solid-State Circuits Conference. The new competition, called the Student Design Contest, gives the students national exposure. The winners have their expenses paid to attend DAC and ISSCC, where they present their designs as posters or in oral sessions, and are honored at awards ceremonies. For the VLSI students, this international contest is like competing in the Rose Bowl. The contest has two categories, conceptual and operational. In the first year of this contest (2000), there were 31 entries from 22 of the top universities throughout the world. UM students took first prize in operational and both first and second prize in conceptual, as well as best paper. In 2001, UM students took first prize in operational and first, second and third prizes in conceptual, as well as best paper. In 2002, UM students won third place in the operational category, first place in the conceptual category, and overall best paper award. In 2003, UM students were awarded first and second prizes in the conceptual category. So ended Prof. Brown's coaching career.

VLSI at the University of Utah

Long before Prof. Brown returned to Utah, faculty at the U of U had modeled their introductory VLSI course after the one Prof. Brown had developed. Since his arrival at the U, Prof. Brown has worked with the ECE and Computer Engineering faculty to flesh out the rest of the "ideal VLSI curriculum." A new faculty member was hired in the VLSI area, and he established the advanced VLSI course starting with Prof. Brown's notes. Prof. Brown acquired for the University a Verigy 93000 integrated circuit tester that not only facilitates his own students' research, but also the course projects and the research of other faculty members. The VLSI program at the University of Utah promises to become a very strong program.

Graduate Education

Prof. Brown continues to be active in research and to advise graduate students. There are currently seven Ph.D. students in his group. An undergraduate and two high school students are also involved in his research.

Administrative Service

Prof. Brown joined the University of Utah as Dean of Engineering in July 2004. He led the development of a strategic plan for the College that has a vision of raising the quality of teaching, research and service to a level comparable to that of the best engineering schools in the world. Its objectives include growing the research enterprise, positioning the College to become a leader in nanotechnology, assisting faculty in their career development, increasing the amount of technology transfer, nurturing alumni relationships, broadening the Engineering donor base, strengthening the academic experience and climate for students, and improving recognition of the College. The faculty, staff and students have worked together to bring about significant progress in each of these areas; special credit goes to the associate deans, assistant dean, development group, outreach staff and public relations team.

To encourage higher levels of faculty performance, clear, consistent objectives were established, regular feedback was provided, and incentives were put into place. A uniform annual Faculty Activity Report (FAR) was instigated through which faculty members report on their accomplishments in the same categories considered in retention, promotion and tenure (RPT) decisions. The full spectrum of performance data from the FARs is regularly presented to faculty, and is used in informal annual reviews and merit salary decisions. The FAR data, now entered through a web interface with much of the information pre-populated, feeds directly into the University's Authoritative Database. The College of Engineering pioneered this on-line version, which has now been rolled out to most of the University. Prof. Brown wrote and had adopted new RPT guidelines that restructured the College RPT Advisory Committee and clearly defined expectations for retention, promotion and tenure. RPT casebook files are also created and viewed by authorized personnel on line.

Dean Brown negotiated a financial model for the College that rewards individual investigators, departments and the college for increased research activity. This has been a huge motivation for growing research volume. He worked with the Office of Sponsored Projects to send faculty members electronic announcements of calls for proposals; this has now been implemented university-wide. He organized industry-faculty interactions with local and national companies, which has led to direct research funding and to joint funding from government agencies. He arranged to have a staff person available in Engineering to help write proposals, particularly SBIRs. The dollar volume of both commercial and total sponsored projects in the College has more than doubled in the past six years.

The College has leveraged its current strengths and further expanded interdisciplinary research through the USTAR initiative. To date, sixteen USTAR faculty members have been hired in Engineering, most of them world-class senior faculty who are model researchers and excellent overall examples to the faculty. This strategic growth has been in the areas of nanotechnology, microsystems, neural interfaces, biomedical devices, computer imaging, animation, and energy. The senior USTAR hires bring with them a standing in their academic communities that immediately benefits the U's reputation. The committed USTAR investment in faculty positions and startup packages in the College of Engineering represents more than \$32M, with an ongoing commitment after the startup phase of about \$4M/yr.

Because much of it is ongoing, the Engineering Initiative, which is aimed at increasing the number of engineering and computer science graduates in Utah, also represents a large infusion of funding for the College; these funds have been used almost exclusively to hire new faculty members. The U has organized this state-wide initiative and coordinated the lobbying since its inception; the lobbying is our vehicle for communicating the economic importance of engineering to the legislature and governor. Dean Brown's industrial advisory board, composed of 26 members, typically company vice-presidents or presidents, are a great support in this effort. This board meets as a full group five times per year. A Technology Initiative Advisory Board, also composed of industry representatives, divides the funding allocated each year by the legislature among the nine state schools. In the past five fiscal years, the ongoing Engineering Initiative funding to the University of Utah has totaled \$2.537M; this ongoing funding has been matched by the University, thereby increasing the College's annual budget by more than \$5M. In addition, the College has received \$2.518M in one-time funding through the Engineering Initiative over this time period. Private and foundation donations have also been critical to growth and

progress in the College; these have totaled more than \$20M in the past five years, including an \$800,000 matching grant from the Kresge Foundation for the Warnock Engineering Building, a \$1.25M gift from the Micron Foundation to help with the new nanofabrication laboratory in the USTAR Building (under construction), and a \$1.5M Presidential Endowed Chair in Nuclear Engineering from EnergySolutions.

Closely related to the Engineering Initiative is the College outreach program, which this past year coordinated 33,000 face-to-face interactions with K-12 students. College faculty, students, outreach staff and alumni visit schools or otherwise interact with prospective students. The Engineering Ambassadors, a select group of students, are heavily involved in outreach and recruiting. Many students come to campus for events such as Engineering Day, Elementary Engineering, and summer camps. The College also has a 5-yr. \$2M NSF-funded outreach program that involves all of its departments.

To stay engaged with the faculty, Dean Brown invites one faculty member per week to present his/her research to the dean, associate dean for research, and the public relations team. The new PR team, composed of a writer, a graphics designer, a web master, and the University's top science writer, have increased the amount of media coverage of U of U Engineering research by many times. The College brand is becoming better recognized through print and electronic newsletters, new faculty announcements, and a research report produced annually.

Each junior faculty member is assigned a mentor in their own department, and the department chair, who meets with each faculty member annually to discuss their performance, takes primary responsibility for guiding the junior faculty. But Dean Brown also meets with junior faculty by cohorts twice per year in mentoring meetings to discuss all aspects of building a strong academic career. To complement the university-wide teaching support, a college teaching seminar is conducted annually with some of the best teachers in the College sharing their advice. Books on being a responsible faculty member are given to each junior faculty member. Prof. Brown organized a committee of senior women faculty from the College of Engineering, the College of Mines and Earth Sciences, and the College of Science to make recommendations related to women faculty and women student issues. This group was very active in the discussion of family leave, and made recommendations for hiring procedures which are followed by the College of Engineering. The College adopted a policy of paying 100% of salary during family leave.

Dean Brown has been an advocate for collaborative relations with industry and for commercialization of university research. After hearing from his Industrial Advisory Board about challenges in university-industry relations, he made this topic the focus of discussions with the Engineering National Advisory Council, a group of about 30 of the College's most successful alumni (and adopted alumni), that is now chaired by Ed Catmull, president of Pixar Disney Animation. This group meets twice per year with the deans and department chairs and discusses strategic issues in the college; guest speakers have been governors, senators, the commissioner of higher education, and the university president. A task force from this group wrote a resolution on university-industry relations to Pres. Michael Young, that had a large impact on the University. Dean Brown served as co-chair of the search committee that hired the new Director of the Technology Commercialization Office; this hire was the key to an excellent tech transfer climate. IP related disputes with organizations were resolved and more industry-friendly practices were established at TCO. An office in the Warnock Engineering Bldg. was made available for a commercialization officer. With TCO, Prof. Brown founded the Tech Titans state-wide entrepreneurial competition. Patent disclosures from Engineering have more than doubled (increased by 112%) in 5 years, to 100 in 2008, and College of Engineering faculty have spun out 35 companies in the past three years.

Dean Brown organized the University of Utah Engineering Alumni Association (EAA) in March 2005 with a board that meets regularly and bylaws that provide for rotation of officers and board members. Members of the EAA visit K-12 classrooms as part of the College's outreach program and help with retention by interacting with current engineering students. The EAA web site and electronic newsletters have increased College communication with the alumni, as well as communication between alumni. More than 1,000 have joined the EAA.

The student academic experience has been strengthened through the organization of an Engineering Honors Program tailored to fit the engineering curriculum. This program includes the freshman E-LEAP experience, an undergraduate research opportunity and a service component, and it builds the honors thesis on the engineering senior project. Whereas only a few engineering students per year graduated with honors before, now engineering students make up a quarter of all university honors students. A dormitory floor was designated for engineering students and called the Engineering Learning and Living Center. Questions about class climate were added to the engineering course evaluations; consistent improvement has been shown on the answers to these questions. The Engineering Tutoring Center was established to provide free help to lower-division students; the tutors are mostly Tau Beta Pi and Engineering Honors students who receive service credit in their organizations for this valuable contribution. The Tutoring Center builds community and helps with retention on many levels. Math refresher courses are organized at both the pre-calculus and post-calculus levels for students who want a review before taking the math placement exam, and for those who have been away from their studies for a while for any reason. Engineering graduates are developing better communications skills through the College's CLEAR program, which has been incorporated into curricula throughout the College. A successful ABET accreditation review was held for the seven accredited programs in September 2009.

Dean Brown negotiated international student exchange and/or partnership agreements with a number of the top engineering universities throughout the world: Saarland University, Saarbrücken, Germany; Technische Universität, Berlin, Germany, Shanghai Jiao Tong University, Shanghai, China; Tsinghu University, Beijing, China; Seoul National University, Seoul, Korea; Indian Institute of Technology, Kharagpur, India; and Hong Kong University of Science and Technology, Hong Kong, China. More universities will be added to match the language skills of our students.

A non-thesis MS degree was implemented in all departments to facilitate the matriculation of Ph.D. students. A Systems Engineering Certificate, available to students across the College, was established. The Nuclear Engineering Program was reinvigorated and a minor in Nuclear Engineering, available to all Engineering and Science students, was approved. To broaden the education of engineering students, Dean Brown established an alliance with the Business and Law Schools to teach courses for each other's students. The Engineering course, Emerging Technologies, has been taught once. Intellectual property and business law courses are being taught in the College, and the Business School will teach an introduction to business course for engineers. Joint Engineering MS/MBA degrees are now approved and the first class of students is matriculating. Distance education, which has been very successfully delivered to students at ATK (more than 75 have graduated), is being expanded to students at other sites by multiple departments. The College implemented an on-line graduate application process, mounted a graduate student recruiting PR campaign, and organized a college-wide graduate visitation day to help departments recruit more highly-qualified graduate students; this year four times as many incoming students had GRE scores above 780 compare with before.

The College of Engineering is growing. In the past five years, 56 new faculty members have been hired. Since 2003, the year before Dean Brown started, the number of degrees granted in Engineering has increased by 33%. In the past 10 years, the number of degrees has grown by 76%. Many of the College programs are entering the top 50 in size. As enrollments have grown, student quality has also improved; 43% of the entering engineering students are designated high achieving students (120 or higher on the student academic index). The physical facilities have also improved considerably with the dedication of the 100,000 sq. ft. John E. and Marva M. Warnock Engineering Building in February 2007. The former Engineering and Mines Classroom Building was completely renovated in 2008 and renamed as part of the Warnock Engineering Building, adding another 60,000 sq. ft. A major renovation was done to the Merrill Engineering Building before 2004, but many lab and mechanical renovations have been done since to prepare space for the newly hired faculty. With a \$3.3M lead gift, construction is underway to expand the Energy and Materials Research Laboratory into the Floyd and Jeri Meldrum Civil and Environmental Engineering Building. And finally, Dean Brown has been intimately involved in the programming, fundraising and design of the \$130M, 200,000 sq. ft. James L Sorenson Molecular Biotechnology Building - A USTAR Innovation Center, which will house many of the new USTAR and other engineering faculty, and will include a vivarium to support biomedical research, a microscopy and surface analysis core facility, and a new world-class nanofabrication laboratory.

Grants and Contracts

<u>Dates</u>	<u>Title/Participants</u>	<u>Sponsor</u>	<u>Total Funds</u>
1/86 - 7/87	High-Temp. Solid-State Sensor Technology (grant) (P.I. & Proj. Dir.; Co-P.I., F. L. Terry, EECS)	Ford SRL	\$131,994
7/87 - 7/91		Ford Fund	\$370,000
9/86 - 4/87	Fabrication Feasibility of Multielectrode Arrays (SBIR consultant to Integrated Microsystems)	NIH	\$50,000
10/86 - 10/91	High-Frequency Microelectronics (Participant; Proj. Dir., George Haddad, EECS)	ARO	\$18,000,000
3/87	Digital Oscilloscope and Plotter (Equipment Grant)	HP	\$27,358
4/87 - 12/92	Integrated Sensors for Water Quality Control (P.I.)	Fleck Controls, Inc.	\$289,084
6/87 - 5/88	Micromachined Pressure Sensor (P.I.)	VP Res. UM	\$15,119
5/89 - 4/90	High-Temperature Electronics (P.I.)	G.E.	\$20,000
9/89 - 7/93	Microbiosensor Arrays (P.I. & Proj. Dir.; Co-P.I.s, M.E. Meyerhoff, Chemistry, and A.R. Midgley, Medicine)	NSF	\$574,696
8/90 - 8/94	GaAs Microcomputer (P.I. and Proj. Dir.; Co-P.I.s, T.N. Mudge, R.J. Lomax, K. Sakallah and W. P. Birmingham)	DARPA	\$2,776,270
7/91 - 11/91	High-Speed Digital Tester (P.I.)	ARO	\$149,202
12/92 - 11/95	Rapid Prototyping and Evaluation of High-Performance Computers (Co-PI with Mudge (Director), Davidson, Hayes, Abraham, Birmingham, Sakallah, and Patt.)	NSF	\$804,076

7/92 - 6/97	High-Frequency Microelectronics (Participant; Proj. Dir., George Haddad, EECS) (One student support for 1 yr.)	ARO	\$5,840,400
1/93 - 12/93	Solid State Chemical Sensors (P.I.)	Motorola	\$50,000
2/93	Electrostatic Plotter (P.I. - transferred to gift account)	HP	\$49,900
4/94 - 4/95	Evaluation of Polymer Membrane Based ISMOS-FETS and Characterization of Same with Respect to Manufacturability (P.I.)	Motorola	\$166,667
5/94 - 4/95	High Speed Design Tools (Co-P.I. with Pavlidis (Director), Sakallah, and Katehi)	ARPA	\$566,279
7/94 - 7/95	Planar Sensor Fabrication Feasibility Assessment (Co-P.I. with M. E. Meyerhoff, Chemistry)	Mallinckrodt	\$190,487
7/94	Solid-State Sensors (P.I., Unrestricted Gift)	DuPont	\$10,000
9/94 - 8/98	Design Optimization of a GaAs RISC Microprocessor with Area-Interconnect MCM Packaging (P.I. and Proj. Dir.; Co-P.I.s, T. N. Mudge, R. J. Lomax, and K. Sakallah)	ARPA	\$5,002,705
5/95	Solid-State Sensors (P.I., Unrestricted Gift)	DuPont	\$10,000
7/95 - 6/00	GaAs System Implementation (P.I.)	ARPA	\$243,424
7/95 - 6/96	Solid-State Planar Sensor Technology (Co-P.I. with M. E. Meyerhoff, Chemistry)	Mallinckrodt	\$219,739
7/97 - 7/99	Microprocessor Design Verification (Co-P.I. with Hayes (Director), and Mudge)	DARPA	\$660,390
7/96 - 6/97	Silicon-Based Sensor Array for Whole Blood Analysis (P.I.)	Inst. Labs. (IL)	\$200,281

7/97 - 6/00	Instruction Stream Compression (Co-P.I. with Mudge (Director), and Bird)	DARPA	\$1,183,596
1998	Mixed-Signal Microprocessor	National	\$100,000
1/98 - 12/98	Multi-site Potentio-Amperometric Neural Sensor Array (SBIR with Dr. Hal Cantor of Advanced Sensor Technologies, Inc.)	NIH	\$100,000
1998	Analog Circuit Design	Texas Instruments	\$50,000
1998	Silicon on Insulator Circuits	AMD	\$10,000
6/99 - 5/00	Low Voltage Analog Front End	National Semi.	\$100,000
1/99 -12/99	Low Voltage Analog Design	Texas Instruments	\$100,000
10/99 - 9/00	SOI Circuits	AMD	\$20,000
12/1/99 - 11/30/02	Mass Producible Chemical Sensors and Their Measuring Systems	Kwangwoon Univ., Korea	\$24,000
2/1/00 - 1/31/03	SOI Circuits for Analog, Digital, and Mixed Signal Applications	SRC	\$300,000
8/00 - 7/01	SOI Circuits	AMD	\$25,000
8/00 - 7/01	Mixed-Signal Microprocessor	National Semiconductor	\$50,000
9/00 - 8/05	An ERC in Wireless Integrated Microsystems Kensall D. Wise, Director Richard B. Brown, Thrust Leader	NSF	\$29,447,010 my share \$500,000/yr. for first 5 yrs.
10/00 - 9/01	Undergraduate Mentoring Program	SRC	\$18,000
1/01 - 12/04	Electron-Relay Enabled Immunosensor (Co-P.I. with M.E. Meyerhoff, Chemistry)	State of MI - Life Sciences Proposal	\$769,589

2/01 - 1/02	An Optimal Microbial Control System to Enable Environmental Improvement of Aqueous Fluidic Systems Steven Skerlos, Richard Brown, Katsuo Kurabayashi, Kim Hayes, Alexa Rihana	IESET	\$50,000
9/01 - 8/02	Undergraduate Mentoring Program	SRC	\$12,000
9/01 - 12/01	IBM Faculty Partnership Award: YR 1: An SOI, DTMOS Resonant-clocked Floating-point Unit	IBM	\$25,000
1/02 - 12/02	YR 2: Low-Power SOI Datapath Circuits		\$40,000
1/03 - 12/03	YR 3: Mitigation of CMOS Gate Leakage		\$40,000
1/04 - 12/04	YR 4: Robust Low-Leakage Circuits		\$40,000
1/05 - 12/05	YR 5: Embedded Microcontroller to Improve Power		\$40,000
3/01	9 Workstations with Monitors	Sun Microsystems	\$142,038
9/01 - 9/03	Complex Signal Processing ASIC Designs (P.I.; Co-P.I., Dennis Sylvester)	DARPA - BAE Systems	\$786,496
9/03 - 8/04	Sensors for Monitoring and Diagnostics of Bridges (P.I. Andrzej Nowak, Civil and Environmental Engineering)	ISI: Infrastruc- ture Systems Initiative	\$85,000
2003	Focused Ion Beam Workstation John F. Mansfield (P.I., Materials Science and Engineering, EMAL), R. Brown and others	MRI	
9/03 - 12/04	VLSI Design Curriculum (Richard B. Brown (P.I.), David Blaauw, Michael Flynn, Dennis Sylvester)	Intel Foundation	\$202,173
9/05 - 8/08	SST Integrated Particle Counting and Potentiometric Sensor Array for Water Quality Analysis (P.I.; Co-P.I., Henry White, UofU Chemistry)	NSF	\$299,994
7/05 - 6/06	Feasibility of Measuring Autoantibody	ARUP Lab and	\$15,000
7/06 - 6/07	Interference of Physiologically Active Muscle	Dept. of	\$25,000
7/07 - 8/08	Cells Using a Biological Nanosensor (Co-P.I. with Harry Hill, ARUP Labs)	Pathology-UofU	\$30,256

9/05 -- 8/08	Neural Probes for Electrical and Chemical Sensing (sub-contract with UMI) (Co-P.I., Richard Brown; P.I., Daryl Kipke)	NIH	\$129,371
9/05 -- 8/06	An Engineering Research Center in Wireless Integrated Microsystems (sub-contract with UMI)	NSF	\$99,881
9/06 -- 8/07			\$90,000
9/07 -- 8/08			\$90,000
9/08 -- 8/09			\$60,300
9/09 -- 8/10			\$30,000
5/09 -- 8/09	Student Travel Assistance for the Symposium of 35 Years of Chemical Sensors in 215 th ECS	NSF	\$6,000
8/09 -- 7/12	Detection and Mitigation of Hazardous Releases in Infrastructure Systems (Co-P.I., with N. Katopodes, director, and A. Stefanopoulou)		\$585,000

Publications (*Prof. Brown's graduate students' names are underlined; * indicates that the person was his postdoctoral student when the published work was done.*)

Full Articles in Refereed Journals

- Kellis SS, House PA, Thomson KE, Brown R, Greger B, "Human neocortical electrical activity recorded on nonpenetrating microwire arrays: applicability for neuroprostheses," *Neurosurgery Focus* vol. 27, no. 1, July 2009, E9.
- Michael S. McCorquodale, Gordon A. Carichner, Justin D. O'Day, Scott M. Pernia, Sundus Kubba, Eric D. Marsman, Jonathan J. Kuhn, Richard B. Brown, "A 25-MHz Self-Referenced Solid-State Frequency Source Suitable for XO-Replacement," *IEEE Transactions on Circuits and Systems*, vol. 56, no. 5, pp. 943-956, May 2009
- S. M. Martin, F. H. Gebara, T. D. Strong, R. B. Brown, "A Fully Differential Potentiostat," *IEEE Sensors Journal*, vol. 9, issue 2, pp. 135-142, Feb. 2009.
- Matthew D. Johnson, Robert K. Franklin, Matthew D. Gibson, Richard B. Brown, Daryl R. Kipke, "Implantable Microelectrode Arrays for Simultaneous Electrophysiological and Neurochemical Recordings," *Journal of Neuroscience Methods*, vol. 174, issue 1, pp. 62-70, Sept. 2008.
- Segyeong Joo*, Richard B. Brown, "Chemical Sensors with Integrated Electronics," *Chemical Reviews*, vol. 208, issue 2, pp. 638-651, Feb. 2008. (DOI: 10.1021/cr068113+)
- Koushik K. Das, Ching-Te Chuang, Richard B. Brown, "Reducing Parasitic BJT Effects in Partially-Depleted SOI Digital Logic Circuits," *Microelectronics Journal*, vol. 39, issue 2, pp. 275-285, Feb. 2008.
- Kanak Agarwal, Rahul Rao, Dennis Sylvester, Richard Brown, "Parametric Yield Analysis and Optimization in Leakage Dominated Technologies," *IEEE Transactions on Very Large Scale Integration (VLSI) Systems*, vol. 15, no. 6, pp. 613-623, June 2007.
- Jun Ho Shim, Juneho Kim, Geun Sig Cha, Hakhyun Nam, Ryan J. White, Henry S. White, Richard B. Brown, "Glass Nanopore-Based Ion-Selective Electrodes," *Analytical Chemistry*, 79(10), pp. 3568-3574, May 2007. (DOI:10.1021/ac061984z)
- Michael S. McCorquodale, Justin D. O'Day, Scott M. Pernia, Gordon A. Carichner, Sundus Kubba, Richard B. Brown, "A Monolithic and Self-Referenced RF LC Clock Generator Compliant with USB 2.0," *IEEE Journal of Solid-State Circuits*, vol. 42, issue 2, pp. 385-399, Feb. 2007.
- Steven M. Martin, Fadi H. Gebara, Brian J. Larivee, Richard B. Brown, "A CMOS-Integrated Microinstrument for Trace Detection of Heavy Metals," *IEEE Journal of Solid-State Circuits*, vol. 40, issue, 12, pp. 2777-2786, Dec. 2005.
- Jeonghan Ha, Steven M. Martin, Youngho Jeon, In Jun Yoon, Richard B. Brown, Hakhyun Nam, Geun Sig Cha, "A Polymeric Junction Membrane for Solid-State Reference Electrodes," *Analytica Chimica Acta.*, vol. 549, issues 1-2, pp. 59-66, Sept. 6, 2005. (DOI:10.1016/j.aca.2005.06.011)
- Rajiv A. Ravindran, Robert M. Senger, Eric D. Marsman, Ganesh S. Dasika, Matthew R. Guthaus, Scott A. Mahlke, Richard B. Brown, "Partitioning Variables Across Multiple Register Windows to Reduce Spill Code In A Low-Power Processor," *IEEE Transactions on Computers*, vol. 54, issue 8, pp. 998-1012, Aug. 2005.

- M.S. McCorquodale, R.B. Brown, "Academic and Professional Resources for Student-led Technology Ventures," *IEEE Antennas and Propagation Magazine*, vol. 46, issue 4, pp. 125-131, Aug. 2004.
- A.J. Drake, K.J. Nowka, T.Y. Nguyen, J.L. Burns, R.B. Brown, "Resonant Clocking Using Distributed Parasitic Capacitance," *IEEE Journal of Solid-State Circuits*, vol. 39, issue 9, pp. 1520-1528, Sept. 2004.
- Hakhyun Nam, Geun-Sig Cha, Timothy D. Strong, Jeongha Ha, Jun Ho Shim, Robert W. Hower, Steven M. Martin, Richard B. Brown, "Micro-Potentiometric Sensors," *Proceedings of the IEEE*, vol. 91, issue 6, pp. 870-880, June 2003.
- Keith L. Kraver, Matthew R. Guthaus, Timothy D. Strong, Peter L. Bird, Geun Sig Cha, Wolfgang Hoeld, Richard B. Brown, "A Mixed-Signal Sensor Interface Microinstrument," *Sensors & Actuators: A Physical*, 91, pp. 266-277, 2001.
- Timothy D. Strong, Hal C. Cantor, Richard B. Brown, "A Microelectrode Array for Real-Time Neurochemical and Neuroelectrical Recording in Vitro," *Sensors & Actuators: A Physical*, 91, 357-362, 2001.
- Richard B. Brown, Ronald J. Lomax, Gordon Carichner, Alan J. Drake, "A Microprocessor Design Project in an Introductory VLSI Course," *IEEE Transactions on Education*, vol. 43, issue 3, pp. 353-361, August 2000.
- Hyo Jung Yoon, Jae Ho Shin, Sung Dong Lee, Hakhyun Nam, Geun Sig Cha, Timothy D. Strong, Richard B. Brown, "Solid-State Ion Sensors with a Liquid Junction-Free Polymer Membrane- Based Reference Electrode for Blood Analysis," *Sensors and Actuators: B Chemical*, 64, 8-14, 2000.
- Oliver Lutze, Ravi K. Meruva, Aaron Frielich, Narayanan Ramamurthy, Richard B. Brown, Robert Hower, Mark E. Meyerhoff, "Stabilized Potentiometric Solid-State Polyion Sensors Using Silver-Calixarene Complexes as Additives Within Ion-Exchanger-Based Polymeric Films," *Fresenius' Journal of Analytical Chemistry*, 364 (1/2):41-47, May, 1999.
- Jun Yoon, Dong Kwon Lee, Hakhyun Nam, Geun Sig Cha, Timothy D. Strong, Richard B. Brown, "Ion sensors using one-component room temperature vulcanizing-type silicone rubber matrices," *Journal of Electroanalytical Chemistry*, Vol. 464, pp. 135-142, 1999.
- D. Van Campenhout, H. Al-Asaad, J. P. Hayes, T. Mudge, R. Brown, "High-Level Design Verification of Microprocessors via Error Modeling," *ACM Trans. on Design Automation of Electronic Systems*, 3(4), pp. 581-599, October 1998.
- R. Brown, B. Bernhardt, M. LaMacchia, J. Abrokwhah, P. Parakh, T. Basso, S. Gold, S. Stetson, C. Gauthier, D. Foster, B. Crawforth, T. McQuire, K. Sakallah, R. Lomax, T. Mudge, "Overview of Complementary GaAs Technology for High-Speed VLSI Systems," Invited Paper, *IEEE Transactions on VLSI Systems*, vol. 6, issue 1, pp. 47-51, March 1998.
- O. A. Olukotun, T. N. Mudge, R. B. Brown, "Multilevel Optimization of Pipelined Caches," *IEEE Transactions on Computers*, vol. 46, issue 10, pp. 1093-1102, October 1997.
- M. E. Poplawski, R. B. Brown, K. L. Rho, S. Y. Yun, H. J. Lee, G. S. Cha, K.-J. Paeng, "One-Component Room Temperature Vulcanizing-Type Silicone Rubber-Based Sodium-Selective Membrane Electrodes," *Analytica Chimica Acta*, 355, pp. 249-257, 1997.

- Dong Liu, Ravi K. Meruva, Richard B. Brown, Mark E. Meyerhoff, "Enhancing EMF Stability of Solid-State Ion-Selective Sensors by Incorporating Lipophilic Silver-Ligand Complexes within Polymeric Films," *Analytica Chimica Acta*, 321, pp. 173-183, 1996.
- R. W. Hower, J. H. Sin, G. S. Cha, R. K. Meruva, M. E. Meyerhoff, R. B. Brown, "New Solvent System for the Improved Electrochemical Performance of Screen-Printed Polyurethane Membrane- Based Solid-State Sensors," *Sensors and Actuators: B Chemical*, vol. SNB033/1-3, pp. 168- 172, 1996.
- E. Malinowska, V. Oklejas, R. W. Hower, R. B. Brown, M. E. Meyerhoff, "Enhanced Electrochemical Performance of Solid-State Ion Sensors Based on Silicone Rubber Membranes," *Sensors and Actuators: B Chemical*, vol. 33, pp. 161-167, 1996.
- D. S. Sakong, M. J. Cha, J. H. Shin, G. S. Cha, M. S. Ryu, R. W. Hower, R. B. Brown, "Asymmetric membrane-based potentiometric solid-state ion sensors," *Sensors and Actuators: B Chemical*, vol. 32, pp. 161-166, 1996.
- M. A. Riepe, J. P. Silva, K. Sakallah, R. B. Brown, "Ravel-XL: A Hardware Accelerator for Assigned-Delay Compiled-Code Logic Gate Simulation," *IEEE Transactions on VLSI Systems*, vol. 4, issue 1, pp. 113-129, March 1996.
- Ajay Chandna, Richard B. Brown, David Putti, C. David Kibler, "Power Rail Logic: A Low Power Logic Style for Digital GaAs Circuits," *IEEE Journal of Solid-State Circuits*, vol. 30, issue 10, pp. 1096-1100, Oct. 1995.
- Muh-Ling Ger, Richard B. Brown, "Sputtered WSi_x for Micromechanical Structures," *Journal of Materials Research*, vol. 10, no. 7, pp. 1710-1720, July 1995.
- K. S. Lee, J. H. Shin, M. J. Cha, G. S. Cha, M. Trojanowicz, D. Liu, H. D. Goldberg, R. W. Hower, R. B. Brown, "Multiionophore-Based Solid-State Potentiometric Ion Sensor as a Cation Detector for Ion Chromatography," *Sensors and Actuators B*, vol. 20, pp. 239-246, 1994.
- A. J. Chandna and R. B. Brown, "An Asynchronous GaAs MESFET Static RAM Using A New Current Mirror Memory Cell," *IEEE Journal of Solid-State Circuits*, vol. 29, issue 10, pp. 1270-1276, Oct. 1994.
- D. Nagle, R. Uhlig, T. Stanley, T. Mudge, S. Sechrest, R. Brown, "Design Tradeoffs for Software-Managed TLBs," *ACM Transactions on Computer Systems*, vol. 12, no. 3, pp. 175-205, Aug. 1994.
- H. D. Goldberg, R. B. Brown, D. Liu, M. Meyerhoff, "Screen printing: a technology for the batch fabrication of integrated chemical-sensor arrays," *Sensors and Actuators B* 21, pp. 171-183, 1994.
- R. Brown, M. Upton, A. Chandna, T. Huff, T. Mudge, R. Oettel, "Gallium-Arsenide Process Evaluation Based on a RISC Microprocessor Example," *IEEE Journal of Solid-State Circuits*, vol. 28, issue 10, pp. 1030-1037, Oct. 1993.
- V. Yang, S.-C. Ma, D. Liu, R. Brown, M. Meyerhoff, "A Novel Electrochemical Heparin Sensor," *ASAIO (American Society for Artificial Internal Organs) Journal*, vol. 39, no. 3, pp. M195-M201, July-Sept. 1993.
- Dong Liu, Mark E. Meyerhoff, Howard D. Goldberg, Richard B. Brown, "Potentiometric ion- and bio-selective electrodes based on asymmetric polyurethane membranes," *Analytica Chimica Acta*, vol. 274, pp. 37-46, 1993.

- Richard B. Brown, "Incorporating Computer-Aided Design into an Electrical Engineering/ Computer Science Curriculum," *IEEE Transactions on Education*, vol. 35, issue 3, pp. 182-189, Aug. 1992.
- G. S. Cha*, D. Liu, M. E. Meyerhoff, H. C. Cantor, A. R. Midgley, H. D. Goldberg, R. B. Brown, "Electrochemical Performance, Biocompatibility, and Adhesion of New Polymer Matrices for Solid-State Ion Sensors," *Analytical Chemistry*, vol. 63(17), pp. 1666-1672, Sept. 1991.
- O. A. Olukotun, R. B. Brown, R. J. Lomax, T. N. Mudge, K. A. Sakallah, "Multilevel Optimization in the Design of a High-Performance GaAs Microcomputer," *IEEE Journal of Solid-State Circuits*, vol. 26, issue 5, pp. 763-767, May 1991.
- H. D. Goldberg, G. S. Cha*, R. B. Brown, "A Quantitative Adhesion Test for Thin Polymer Films on Silicon Substrates," *Journal of Applied Polymer Science*, vol. 43, pp. 1287-1292, Jan. 1991.
- T. N. Mudge, R. B. Brown, W. P. Birmingham, J. A. Dykstra, A. I. Kayssi, R. J. Lomax, O. A. Olukotun, K. A. Sakallah, R. Milano, "The Design of a Micro-Supercomputer," *IEEE Computer Magazine*, vol. 24, issue 1, pp. 56-64, Jan. 1991.
- Geun Sig Cha* and Richard B. Brown, "Polyimide-Matrix Chemical-Selective Membranes," *Sensors and Actuators*, vol. B1, pp. 281-285, Jan. 1990.
- Richard B. Brown, Koucheng Wu, Mario Ghezzi, Dale M. Brown, Evan Downey and Dave Hanchar, "Junction-Isolated CMOS for High-Temperature Microelectronics," *IEEE Transactions on Electron Devices*, vol. 36, no. 9, pp. 1854-1856, Sept. 1989.
- Jeff Dykstra and Richard B. Brown, "A Comparison of Gold and Superconductors Used as Air-Bridge and Microstrip Interconnects for High-Speed VLSI," *IEEE Journal of Solid-State Circuits*, vol. 24, issue 3, pp. 842-844, June 1989.

Refereed Conferences (• Indicates archival proceedings)

- S. Kellis, P. A. House, K. E. Thomson, R. Brown, and B. E. Greger, "Neuroprosthetic application of human neocortical electrical activity recorded on nonpenetrating microwire arrays," Society for Neuroscience Annual Meeting, Chicago, IL, October 17-21, 2009, Abstract 216.10.
- Robert K. Franklin, Segyeong Joo*, Sanddep Negi, Florian Solzbacher, Richard B. Brown, "A Comparison of Fabrication Methods for Iridium Oxide Reference Electrodes", *The 8th IEEE Conference on Sensors*, Christchurch, New Zealand, Oct. 25-28, 2009, accepted.
- Spencer Kellis, Richard Brown, "Embedded System to Perform Motor Decode in a Neural Prosthetic Application", *17th IFIP/IEEE International Conference on Very Large Scale Integration*, Florianopolis, Brazil, October 15-16, 2009.
- Amlan Ghosh, Richard Brown, "Low-Power Operation of Integrated Circuits in the Presence of Process Variation", *17th IFIP/IEEE International Conference on Very Large Scale Integration*, Florianopolis, Brazil, October 15-16, 2009.
- A. Ghosh, R. Rao, R. Brown, "A Centralized Supply Voltage and Local Body Bias-Based Compensation Approach to Mitigate Within-die Process Variation", *Proceedings of the International Symposium on Low Power Electronics and Design 2009*, San Francisco, CA, Aug. 19-21, 2009, pp. 45-50.

- Amlan Ghosh, Rahul Rao, Ching-Te Chuang, Richard Brown, "A Precise Negative Bias Temperature Instability Sensor Using Slew-Rate Monitor Circuitry," *2009 IEEE International Symposium on Circuits and Systems*, Taipei, Taiwan, May 24-27, 2009, pp. 381-384.
- M. S. McCorquodale, S. M. Pernia, S. Kubba, G. Carichner, J. O'Day, E. Marsman, J. Kuhn, R. B. Brown, "A 25MHz All-CMOS Reference Clock Generator for XO-Replacement in Serial Wire Interfaces," *IEEE International Symposium on Circuits and Systems*, Seattle, WA, May 18-21 2008, pp. 2837-2840.
- Matthew Guthaus, Dennis Sylvester, Richard Brown, "Clock Tree Synthesis with Data-Path Sensitivity Matching," *Asia and South Pacific Design Automation Conference*, Seoul, Korea, March 21-24, 2008, pp. 498-503.
- Amlan Ghosh, Rahul M. Rao, Ching-Te Chuang, Richard B. Brown, "On-Chip Process Variation Detection Using Slew-Rate Monitoring Circuit," *9th International Symposium on Quality Electronic Design*, San Jose, CA, March 17-19, 2008, pp. 815-820.
- Michael S. McCorquodale, Scott M. Pernia, Justin D. O'Day, Gordy Carichner, Eric Marsman, Nam Nguyen, Sundus Kubba, Si Nguyen, Jon Kuhn, Richard B. Brown, "A 0.5-480 MHz Self-Referenced CMOS Clock Generator with 90ppm Total Frequency Error and Spread Spectrum Capability," *International Solid-State Circuits Conference*, San Francisco, CA, February 3-7, 2008, pp. 350-619.
- Amlan Ghosh, Rahul M. Rao, Jae-joon Kim, Ching-Te Chuang, Richard B. Brown, "On-Chip Process Variation Detection Using Slew-Rate Monitoring Circuit," *21st International Conference on VLSI Design*, Hyderabad, India, Jan. 4-8, 2008, pp. 143-149.
- Harmander S. Deogun, Robert Senger, Rahul Rao, Dennis Sylvester, Richard Brown, Kevin Nowka, "A Dual- VDD Boosted Pulsed Bus Technique for Low Power and Low Leakage Operation," *International Symposium on Low Power Electronics and Design*, San Jose, CA, October 2006, pp. 73-78.
- Matthew R. Guthaus, Dennis Sylvester, Richard B. Brown, "Clock Buffer and Wire Sizing Using Sequential Programming," *43rd ACM/IEEE Design Automation Conference*, San Francisco, CA, July 24-28, 2006, pp. 1041-1046.
- Eric D. Marsman, Robert M. Senger, Gordon A. Carichner, Sundus Kubba, Michael S. McCorquodale, Richard B. Brown, "A DSP Architecture for Cochlear Implants," *Proceedings 2006 IEEE International Symposium on Circuits and Systems*, Island of Kos, Greece, May 21-24, 2006, pp. 657-660.
- Robert M. Senger, Eric D. Marsman, Gordon A. Carichner, Sundus Kubba, Michael S. McCorquodale, Richard B. Brown, "Low-Latency, HDL-Synthesizable Dynamic Clock Frequency Controller with Self-Referenced Hybrid Clocking," *Proceedings 2006 IEEE International Symposium on Circuits and Systems*, Island of Kos, Greece, May 21-24, 2006, pp. 775-778.
- Timothy D. Strong, Steven M. Martin, Robert K. Franklin, Richard B. Brown, "Integrated Electrochemical Neurosensors," *IEEE International Symposium on Circuits and Systems 2006*, Island of Kos, Greece, May 21-24, 2006, pp. 4110-4113.
- Robert M. Senger, Eric D. Marsman, Michael S. McCorquodale, Richard B. Brown, "A 16-Bit, Low-Power Microsystem with Monolithic MEMS-LC Clocking," *Asia and South Pacific Conference on Design Automation*, Yokohama City, Japan, Jan. 24-27, 2006, pp. 94-95.

- Michael S. McCorquodale, James L. McCann, Richard B. Brown, "Newton: A Library-based Analytical Synthesis Tool for RF-MEMS Resonators," *Asia and South Pacific Conference on Design Automation*, Yokohama City, Japan, Jan. 24-27, 2006, pp. 279-284.
- Matthew R. Guthaus, Dennis Sylvester, Richard B. Brown, "Process-Induced Skew Reduction in Nominal Zero-Skew Clock Trees," *Asia and South Pacific Conference on Design Automation*, Yokohama City, Japan, Jan. 24-27, 2006, pp. 84-89.
- Jayakamaran Sivagnaname, Hung C. Ngo, Kevin J. Nowka, Robert K. Montoye, Richard B. Brown, "Wide Limited Switch Dynamic Logic Circuit Implementations," *19th International Conference on VLSI Design (held jointly with 5th International Conference on Embedded Systems and Design)*, Hyderabad, India, Jan. 3-7, 2006, pp. 94-99.
- R.K. Franklin, M.D. Johnson, K.A. Scott, J.H. Shim, H. Nam, D.R. Kipke, R.B. Brown, "Iridium Oxide Reference Electrodes for Neurochemical Sensing with MEMS Microelectrode Arrays," *Proceedings of the 4th Annual IEEE Conference on Sensors*, Irvine, CA, Oct. 31-Nov. 3, 2005, pp. 1400-1403.
- M.D. Johnson, R.K. Franklin, K.A. Scott, R.B. Brown, D.R. Kipke, "Neural Probes for Concurrent Detection of Neurochemical and Electrophysiological Signals *in Vivo*," *Proceedings of the 2005 IEEE Annual Conference of the Engineering in Medicine and Biology Society*, Shanghai, China, Sept. 1-4, 2005, pp. 7325-7328.
- Fadi H. Gebara, Jeremy D. Schaub, Alan J. Drake, Kevin I. Nowka, Richard B. Brown, "4.0GHz 0.18um CMOS PLL Based on an Interpolative Oscillator," *2005 Symposium On VLSI Circuits*, Digest of Technical Papers, Kyoto, Japan, June 16-18, 2005, pp. 100-103.
- Dennis Sylvester, Himanshu Kaul, Kanak Agarwal, Rahul M. Rao, Sani Nassif, Richard B. Brown, "Power-Aware Global Signaling Strategies," *IEEE International Symposium On Circuits and Systems*, Kobe, Japan, May 23-26, 2005, vol. 1, pp. 604-607.
- Eric D. Marsman, Robert M. Senger, Michael S. McCorquodale, Matthew R. Guthaus, Rajiv A. Ravindran, Ganesh S. Dasika, Scott A. Mahlke, Richard B. Brown, "A 16-Bit Low-Power Microcontroller with Monolithic MEMS-LC Clocking," *IEEE International Symposium On Circuits and Systems*, Kobe, Japan, May 23-26, 2005, vol. 1, pp. 624-627.
- Matthew R. Guthaus, Natesan Venkateswaran, Vladimir Zolotov, Dennis Sylvester, Richard B. Brown, "Optimization Objectives and Models of Variation Models for Statistical Gate Sizing," *Proceedings of the ACM Great Lakes Symposium on VLSI (GLSVLSI 05)*, Chicago, IL, April 17-19, 2005, pp. 317-322.
- Steven M. Martin, Timothy D. Strong, Richard B. Brown, "Monolithic Liquid Chemical Sensing Systems" in *Materials, Integration and Technology for Monolithic Instruments*, edited by Jeremy A. Theil, Markus Bhm, Donald S. Gardner, and Travis Blalock (*Mater. Res. Soc. Symp. Proc.*, Warrendale, PA, 2005, vol. 869) pp. 109-118.
- Rahul Rao, Kanak Agarwal, Anirudh Devgan, Dennis Sylvester, Richard Brown, Kevin Nowka, "Parametric Yield Analysis and Constrained-Based Supply Voltage Optimization," *International Symposium On Quality Electronic Design*, (nominated for best paper award), San Jose, CA, March 21-23, 2005, pp. 284-290.
- Jayakumar Sivagnaname, Hung C. Ngo, Kevin J. Nowka, Robert K. Montoye, Richard B. Brown, "Controlled-Load Limited Switch Dynamic Logic Circuit," *Proceedings of the Sixth International*

Symposium On Quality Electronic Design (nominated for best paper award), San Jose, CA, March 21-23, 2005, pp. 83-87.

- Harmander S. Deogun, Rahul M. Rao, Dennis Sylvester, Richard Brown, Kevin Nowka, "Dynamically Pulsed MTCMOS with Bus Encoding for Total Power and Cross Talk Minimization," *International Symposium On Quality Electronic Design*, San Jose, CA, March 21-23, 2005, pp. 88-93.
- Rajiv A. Ravindran, Pracheeti D. Nagarkar, Ganesh S. Dasika, Eric D. Marsman, Robert M. Senger, Scott A. Mahlke, Richard B. Brown, "Compiler Managed Dynamic Instruction Placement in a Low-Power Code Cache," *Proceedings of the International Symposium on Code Generation and Optimization (CGO 05)*, San Jose, CA, March 20-23, 2005, pp. 179-190.
- Steven M. Martin, Fadi H. Gebara, Brian J. Larivee, Richard B. Brown, "A Microsystem for Trace Environmental Monitoring," *2005 IEEE International Solid State Circuits Conference*, Digest of Technical Papers, San Francisco, CA, Feb. 6-10, 2005, vol. 1 pp. 244-596.
- F. H. Gebara, S. M. Martin, E. D. Marsman, K. L. Kraver, R. B. Brown, "900mV Programmable Gain Amplifier for Cochlear Implants," *Proceedings of IEEE International Workshop on BioMedical Circuits and Systems*, Singapore, Dec. 1-3 2004, pp. S1/3/INV - S1/3/1-4.
- F. H. Gebara, S. M. Martin, K. Nowka, R. B. Brown, "Accurate Current Mirroring in the Presence of Gate Leakage Current," *Proceedings of the 2004 IEEE International SOI Conference*, Charleston, SC, Oct. 4-7, 2004, pp. 117-118.
- S.M. Martin, T. Strong, R.B. Brown, "Design, Implementation, and Verification of a CMOS-Integrated Chemical Sensor System," *Proc. of 2004 International Conference on MEMS, NANO, and Smart Systems (ICMENS2004)*, Banff, Alberta, Canada, Aug. 25-27, 2004, pp. 379-385.
- R. Rao, K. Agarwal, D. Sylvester, R. Brown, K. Nowka, S. Nassif, "Approaches to Run-time and Standby Mode Leakage Reduction in Global Buses," *ACM/IEEE International Symposium on Low Power Electronics and Design (ISLPED'04)*, Newport Beach, CA, Aug. 9-11, 2004, pp. 188-193.
- Michael McCorquodale, Richard B. Brown, "UMIPS: A Semiconductor IP Repository for IC Design Education and Research," *2004 ASEE Annual Conference & Exposition*, Salt Lake City, UT, June 20-23, 2004, CD: session 1332, paper 5, pp. 1-8.
- Richard B. Brown, Dennis Sylvester, David Blaauw, Michael Flynn, Gordon Carichner, Catharine June, "VLSI Design Curriculum," *2004 ASEE Annual Conference & Exposition*, Salt Lake City, UT, June 20-23, 2004, CD: Session 2632, paper 6, pp. 1-9.
- S. M. Martin, N. D. Katopodes, R. B. Brown, "Control of Contaminants by Solid-State Liquid Chemical Sensors," *Proc. of EM2004 - The 17th ASCE Engineering Mechanics Conf.*, Newark, DE, (CD- ROM), June 13-16, 2004.
- S. M. Martin, J. Ha, J. W. Kim, T. D. Strong, G.S. Cha, R.B. Brown, "ISE Arrays with Improved Dynamic Response and Lifetime," *Technical Digest of the Solid-State Sensor, Actuator, and Microsystems Workshop*, Hilton Head, SC, June 6-10, 2004, pp. 396-399.
- S. M. Martin, F. H. Gebara, T. D. Strong, R. B. Brown, "A Low-Voltage, Chemical Sensor Interface for Systems-On-Chip: The Fully-Differential Potentiostat," *Proceedings of the 2004 IEEE International Symposium On Circuits and Systems (ISCAS 2004)*, Vancouver, Canada, May 23-26, 2004, vol. 4, pp. 892-895.

- Fadi Gebara, Steven Martin, Keith Kraver, Richard B. Brown, "A Body-Driven Offset Cancellation Technique in PD-SOI," *24th International Conference on Microelectronics (MIEL 2004)*, Nis, Serbia and Montenegro, May 16-19, 2004, vol. 2, pp. 567-570.
- S. M. Martin, T. D. Strong, F. H. Gebara, R. B. Brown, "Mixed-Domain Simulation of Step-Functional Voltammetry with an Insoluble Species for Optimization of Chemical Microsystems," *2004 Nanotechnology Conference and Tradeshow (Nanotech 2004)*, Boston, MA, March 7-11, 2004, pp 207-210.

Rahul Rao, Kanak Agarwal, Dennis Sylvester, Richard B. Brown, Kevin Nowka, Sani Nassif, "Approaches to Run-time and Standby Mode Leakage Reduction in Global Buses," *Austin Conference on Energy-Efficient Design, (ACEED 2004)*, Austin, TX, March 2-4, 2004.

Jayakumaran Sivagnaname, Richard B. Brown, "Effect of Scaling on Stand-by Current in PD- SOI Pseudo-nMOS Circuits," *Austin Conference on Energy-Efficient Design, (ACEED 2004)*, Austin, TX, March 2-4, 2004.

- A. J. Drake and R.B. Brown, "Performance Impact of Gate-Body Signal Phase on DTMOS Inverters," *Proceedings of the Fifth Annual Austin Center for Advanced Studies Conference*, Austin, TX, Feb. 19-20, 2004, pp. 35-38.
- R. M. Rao, R.B. Brown, K.J. Nowka J.L. Burns, "Analysis and Mitigation of CMOS Gate Leakage," *Proceedings of the Fifth Annual Austin Center for Advanced Studies Conference*, Austin, TX, Feb. 19-20, 2004, pp. 7-11.

R.M. Senger, E.D. Marsman, M.S. McCorquodale, F.H. Gebara, K.L. Kraver, M.R. Guthaus, R.B. Brown, "A 16-Bit Mixed-Signal Microsystem with Integrated CMOS-MEMS Clock Reference," invited poster presentation at *IEEE International Solid-State Circuits Conference (ISSCC)*, San Francisco, CA, Feb. 15-19, 2004, and at 41st Design Automation Conference, San Diego, CA.

- Rahul M. Rao, Jeffrey L. Burns, Richard B. Brown, "Analysis and Optimization of Enhanced MTC-MOS Scheme," *Proceedings of the 17th International Conference on VLSI Design (VLSI Design 2004)*, Mumbai, India, Jan. 5-9, 2004, pp. 234-239.
- Jayakumaran Sivagnaname, Richard B. Brown, "Effect of Scaling on Stand-by Current in PD- SOI Pseudo-nMOS Circuits," *The 46th IEEE Midwest Symposium on Circuits and Systems*, Cairo, Egypt, Dec. 27-30, 2003, vol. 3, pp. 1560-1562.
- Michael McCorquodale, Mei Kim Ding, Richard B. Brown, "Top-Down & Bottom-Up Approaches to Stable Clock Synthesis," *10th International Conference on Electronics, Circuits and Systems (ICECS 2003)*, Sharjah, United Arab Emirates, Dec. 14-17, 2003, vol. 2, pp. 575-578.
- Alan J. Drake, Kevin J. Nowka, Richard B. Brown, "Evaluation of Dynamic-Threshold Logic for Low-Power VLSI Design in 0.13 μ m PD-SOI," *IFIP VLSI-SoC International Conference 2003, Darmstadt*, Germany, Dec. 1-3, 2003, pp. 363-368.
- M. S. McCorquodale, E. D. Marsman, R. M. Senger, F. H. Gebara, R. B. Brown, "Microsystem and SoC Design with UMIPS," *IFIP VLSI-SoC International Conference 2003, Darmstadt*, Germany, Dec. 1-3, 2003, pp. 324-329.
- Rahul M Rao, Frank Liu, Jeffrey L. Burns, Richard B. Brown, "A Heuristic to Determine Low Leakage Sleep State Vectors for CMOS Combinational Circuits," *International Conference on Computer Aided Design (ICCAD'03)*, San Jose, CA, Nov. 9-13, 2003, pp. 689-692.

- Rajiv A. Ravindran, Robert M. Senger, Eric D. Marsman, Ganesh S. Dasika, Matthew R. Guthaus, Scott A. Mahlke, Richard B. Brown, "Increasing the Number of Effective Registers in a Low-Power Processor Using a Windowed Register File," *Proceedings International Conference on Compilers, Architecture, and Synthesis for Embedded Systems (CASES'03)*, San Jose, CA, Oct. 30 - Nov. 2, 2003, pp 125-136.
- Koushik Das, Rajiv Joshi, Ching-Te Chuang, Richard Brown, "Noise Consideration and Detailed Comparison of Low Standby Gate/Sub-Threshold Leakage Digital Circuits in Nano- Scale SOI Technology," *IEEE International SOI Conference*, Newport Beach, CA, Sept. 29-Oct. 2, 2003, pp. 87-88.
- Alan J. Drake, Noah Zamdmer, Kevin J. Nowka, Richard B. Brown, "Analysis of the Impact of Gate-Body Signal Phase on DTMOS Inverters in 0.13 μ m PD-SOI," *IEEE International SOI Conference*, Newport Beach, CA, Sept. 29-Oct. 2, 2003, pp. 99-100.
- Jay Sivagnaname and Richard B. Brown, "Standby Currents in PD-SOI Pseudo-nMOS Circuits," *IEEE International SOI Conference*, Newport Beach, CA, Sept. 29-Oct. 2, 2003, pp. 95-96.
- Nam Sung Kim, Trevor Mudge, Richard Brown, "A 2.3 Gb/s Fully Integrated Synthesizable AES Rijndael Core," *Custom Integrated Circuits Conference (CICC)*, San Jose, CA, Sept. 21-24, 2003, pp. 193-196.
- Alan J. Drake, Kevin J. Nowka, Tuyet Y. Nguyen, Jeffrey L. Burns, Richard B. Brown, "Resonant Clocking Using Distributed Parasitic Capacitance," *Custom Integrated Circuits Conference (CICC)*, San Jose, CA, Sept. 21-24, 2003, pp. 647-650.
- Koushik Das, Rajiv V. Joshi, Ching-Te Chuang, Peter W. Cook, Richard B. Brown, "New Digital Circuit Techniques for Total Standby Leakage Reduction in Nano-Scale SOI Technology," *European Solid-State Circuits Conference (ESSCIRC 2003)*, Lisbon, Portugal, Sept. 16-18, 2003, pp. 309-312.
- Rahul Rao, Jeffrey Burns, Richard Brown, "Circuit Techniques for Gate and Sub-Threshold Leakage Minimization in Future CMOS Technologies," *European Solid-State Circuits Conference (ESSCIRC 2003)*, Lisbon, Portugal, Sept.16-18, 2003, pp. 313-316.
- Rahul M. Rao, Jeffrey Burns, Anirudh Devgan, Richard B. Brown, "Efficient Techniques for Gate Leakage Estimation," *International Symposium on Low Power Electronics and Design (ISLPED'03)*, Seoul, Korea, Aug. 25-27, 2003, pp. 100-103.
- Koushik Das, Rajiv V. Joshi, Ching-Te Kent Chuang, Peter W. Cook, Richard B. Brown, "New Optimal Design Strategies and Analysis of Ultra-Low Leakage Circuits for Nano-Scale SOI Technology," *International Symposium on Low Power Electronics and Design (ISLPED'03)*, Seoul, Korea, Aug. 25-27, 2003, pp. 168-171.
- Steven M. Martin, Timothy D. Strong, Fadi H. Gebara, Keith L. Kraver, Gerald J. Keeler, Richard B. Brown, "Integrated Microtransducers and Microelectronics for Environmental Monitoring," *Proceedings of the 15th Biennial University/Government/Industry Microelectronics Symposium (UGIM 2003)*, Boise, ID, June 30 - July 2, 2003, pp. 300-303.
- Michael S. McCorquodale and Richard B. Brown, "Academic and Professional Resources for Student-Led Technology Ventures," *Proceedings of the 2003 American Society for Engineering Education Annual Conference & Exposition*, Nashville, TN, June 22-25, 2003, CD: session 1654.

- Michael S. McCorquodale, Mei Kim Ding, Richard B. Brown, "A CMOS Voltage-to-Frequency Linearizing Preprocessor for Parallel Plate RF MEMS Varactors," *Radio Frequency Integrated Circuits Symposium*, published in *IEEE MTT-S International Microwave Symposium Digest*, Philadelphia, PA, June 8-10, 2003, vol. 1, A21-A24.
- Robert M. Senger, Eric D. Marsman, Michael S. McCorquodale, Fadi H. Gebara, Keith L. Kraver, Matthew R. Guthaus, Richard B. Brown, "A 16-Bit Mixed-Signal Microsystem with Integrated CMOS-MEMS Clock Reference," *Proceedings of the 40th Design Automation Conference*, Anaheim, CA, June 2-6, 2003, pp. 520-525.
- Steven M. Martin, Robert M. Senger, Eric D. Marsman, Fadi H. Gebara, Michael S. McCorquodale, Keith L. Kraver, Matthew R. Guthaus, and Richard B. Brown, "A Low-Power Microinstrument for Chemical Analysis of Remote Environments," *NASA Symposium on VLSI Design*, Coeur d'Alene, Idaho, May 28-29, 2003, pp. 1-4.
- Michael S. McCorquodale, Mei Kim Ding, Richard B. Brown, "Study and Simulation of CMOS LC Oscillator Phase Noise and Jitter," *Proceedings of the 2003 International Symposium on Circuits and Systems (ISCAS '03)*, Bangkok, Thailand, May 25- 28, 2003, vol. 1, pp. 665-668.
- D. Rickard, R. Berger, E. Chan, B. Clegg, S. Patton, R. Anderson, R. Brown, D. Sylvester, M. Guthaus, H. Deogun, K. J. R. Liu, C. Pandana, N. Chandrachoodan, "BAE SYSTEMS Mission Specific Processor Technology," *28th Annual Government Microcircuit Applications and Critical Technology (GOMACTech) Conference (GOMAC 2003)*, Tampa, FL, March 31-April 3, 2003, CD Proceedings 23.1, pp. 1-4.
- Michael S. McCorquodale, Fadi H. Gebara, Keith L. Kraver, Eric D. Marsman, Robert M. Senger, Richard B. Brown, "A Top-Down Microsystems Design Methodology and Associated Challenges," *Designers' Forum: Design Automation and Test in Europe Conference and Exhibition (DATE 03)*, Munich, Germany, March 3-7, 2003, pp. 292-296.
- Koushik Das, Richard Brown, "Novel Circuit Styles for Minimization of Floating Body Effects in Scaled PD-SOI CMOS," *IEEE Computer Society Annual Symposium on VLSI (ISVLSI 2003)*, Tampa, Florida, Feb. 20-21, 2003, pp. 29-34.
- Koushik K. Das, Richard B. Brown, "Ultra Low-Leakage Power Strategies for Sub-1 V VLSI: Novel Circuit Styles and Design Methodologies for PD-SOI CMOS Technology," *Proceedings of the 2003 IEEE International Conference on VLSI Design*, New Delhi, India, January 4-8, 2003, pp. 291-296.
- Edward T. Zellers, K. D. Wise, K. Najafi, D. Aslam, R. B. Brown, Q. Y. Cai, J. Driscoll, M. Flynn, J. Giachino, R. Gordenker, M. D. Hsieh, C. T.-C. Nguyen, P. Bergstrom, J. Drelich, C. Friedrich, E. Gamble, M. Kaviani, C. J. Lu, A. Matzger, M. Oborny, S. Pang, J. Potkay, R. Sacks, W.-C. Tian, W. Steinecker, J. Whiting, Q. Zhong, "Determinations of Complex Vapor Mixtures in Ambient Air with a Wireless Microanalytical System: Vision, Progress, and Homeland Security Applications," *Technical Digest of the IEEE Conference on Technologies for Homeland Security*, Waltham MA, IEEE, Boston, November 13-14, 2002, pp. 92-95.
- Koushik K. Das, Richard B. Brown, "Novel Ultra Low-Leakage Power Circuit Techniques and Design Algorithms in PD-SOI for Sub-1 V Applications," *Proceedings of the 2002 IEEE International SOI Conference*, Williamsburg, VA, October 7-10, 2002, pp. 88-90.

- Koushik K. Das, Richard B. Brown, "A Novel Sub-1 V High Speed Circuit Design Technique in Partially Depleted SOI-CMOS Technology with Ultra Low-Leakage Power," *Proceedings of the 28th European Solid-State Circuits Conference (ESSCIRC 2002)*, Florence, Italy, September 24-26, 2002, pp. 267-270.
Matthew R. Guthaus, Jeffrey S. Ringenberg, Dan Ernst, Todd M. Austin, Trevor Mudge, Richard B. Brown, "MiBench: A Free, Commercially Representative Embedded Benchmark Suite," *IEEE 4th Annual Workshop on Workload Characterization*, Austin, TX, December 2, 2001.
- Koushik K. Das, Richard B. Brown, "Circuit Style Comparison based on the Variable Voltage Transfer Characteristic and Floating V_{th} Ratio Concept of Partially Depleted SOI," *2001 IEEE International SOI Conference*, Durango, CO, October 1-4, 2001, pp. 103-104.
- Koushik K. Das, Richard B. Brown, "Analysis of the Floating Voltage Transfer Characteristic and Comparison of Circuit Styles in Partially Depleted SOI-CMOS," *27th European Solid-State Circuits Conference (ESSCIRC 2001)*, Villach, Austria, September 18-20, 2001, pp. 388-391.
- K. D. Wise, K. Najafi, D. M. Aslam, R. B. Brown, J. M. Giachino, L. C. McAfee, C. T.-C. Nguyen, R. O. Warrington, E. T. Zellers, "Wireless Integrated MicroSystems (WIMS): The Coming Revolution in the Remote Gathering of Information," *Technical Digest for SensorsExpo Conference*, Chicago, June 2001, pp. 175-182.
- Claude Gauthier, Jay Sivagnaname, Richard B. Brown, "Dynamic Receiver Biasing for Inter-Chip Communication," *2001 Conference on Advanced Research in VLSI (ARVLSI)*, Salt Lake City, UT, pp. 101-111, May 14-16, 2001, pp. 101-111.
- Koushik K. Das, Richard B. Brown, "Evaluation of Circuit Approaches in Partially Depleted SOI-CMOS," *2000 IEEE International SOI Conference*, Wakefield, MA, October 2- 5, 2000, pp. 98-99.
Koushik K. Das, Richard B. Brown, "Evaluation of Circuit Design Approaches in Partially Depleted SOI-CMOS Using a 32-bit PowerPC Design Vehicle," *TechCon 2000*, Sept. 21-23, 2000.
- C. Gauthier, R. Brown, "Active Current Mirror Receiver," 43rd IEEE Midwest Symposium on Circuits and Systems, East Lansing MI, August 8-11, 2000, vol. 2, pp. 706-709.
- Timothy D. Strong, Hal C. Cantor, Richard B. Brown, "A Microelectrode Array for Real-time Neurochemical and Neuroelectrical Recording In Vitro," *Technical Digest: Solid-State Sensor and Actuator Workshop*, Hilton Head, S.C., June 4-8, 2000, pp. 29-32.
- Keith L. Kraver, Matthew R. Guthaus, Timothy D. Strong, Peter L. Bird, Geun Sig Cha, Wolfgang Hoeld, Richard B. Brown, "A Mixed-Signal Sensor Interface Microinstrument," *Technical Digest: Solid-State Sensor and Actuator Workshop*, Hilton Head, S.C., June 4-8, 2000, pp. 14-17.
- Alan J. Drake, Todd D. Basso, Spencer M. Gold, Keith L. Kraver, Phiroze N. Parakh, Claude R. Gauthier, P. Sean Stetson, Richard B. Brown, "CGaAs PowerPC FXU," *37th Design Automation Conference*, Los Angeles, CA, June 5-9, 2000, pp. 730-735.
- Hyo Jung Yoon, Jae Ho Shin, Hakhyun Nam, Geun Sig Cha, Timothy D. Strong, Richard B. Brown, "Solid-State Ion Sensors with a Junction-Free Solvent-Processible Polymer Membrane-Based Reference Electrode for Blood Analysis," *10th International Conference on Solid-State Sensors and Actuators, Transducers'99*, Sendai, Japan, June 7-10, 1999, pp. 652-655.

- Phiroze Parakh, Richard B. Brown, "Crosstalk Constrained Global Route Embedding," *International Symposium on Physical Design*, April 12-14, 1999, pp. 201-206.
 - Spencer M. Gold, Bruce Bernhardt, Richard B. Brown, "A Quantitative Approach to Nonlinear Process Design Rule Scaling," *Proceedings of Advanced Research in VLSI*, Atlanta, GA, March 21-24, 1999, pp. 99-112.
 - T. Basso, R. Brown, "A Complementary GaAs Microprocessor for Space Applications," *The Second International Conference on Integrated Micro-Nanotechnology for Space Applications*, November 1-3, 1998, CDRom 98p25a.pdf.
 - P. Parakh, R. B. Brown, K. Sakallah, "Congestion Driven Quadratic Placement," *35th Design Automation Conference*, San Francisco, CA, June 15-19, 1998, pp. 275-278.
 - Richard B. Brown, "Solid-State Liquid Chemical Sensors," Invited Paper, *Chemistry Forum '98: The Forth International Symposium*, Warsaw, Poland, April 27-29, 1998, pp. 120-126.
 - H. Al-Asaad, J. P. Hayes, T. Mudge, and R. B. Brown, "High-Level Design Verification of Microprocessors via Error Modeling," *Digest IEEE International High Level Design Validation and Test Workshop*, Oakland CA, November 14-15, 1997, pp. 194-201.
 - Michael Kelley, Matthew Postiff, Timothy Strong, Richard B. Brown, Trevor N. Mudge, "A Complementary GaAs (CGaAsTM) 32-bit Multiply Accumulate Unit," Invited Paper, *31st Asilomar Conference on Signals, Systems, and Computers*, Nov. 2-5, 1997, pp. 1507-1511.
 - Theresa M. Ambrose, Robert W. Hower, Richard B. Brown, Mark E. Meyerhoff, "Development of a Solid-State Potentiometric Heparin Sensing Cartridge Based on Photocrosslinked Decyl Methacrylate," *Transducers '97*, Chicago, IL, June 16-19, 1997, pp. 1363-1366.
- Brian T. Davis, Claude Gauthier, Phiroze Parakh, Todd Basso, Charles Lefurgy, Richard Brown, Trevor Mudge, "Impact of MCM's on High Performance Processors," *INTERpack-97: International, Intersociety Electronic & Photonic Packaging Conference*, Mauna Lani, HI, 1997, June 15-19.
- Ray Farbarik, Xiaowen Liu, Richard B. Brown, Phiroze Parakh, Todd Basso, "CAD Tools for Area Distributed I/O Pad Packaging," *IEEE Multi-Chip Module Conference*, Santa Cruz, CA, Feb. 4-5, 1997, pp. 125-129.
 - Ronald J. Lomax, Richard B. Brown, Mini Nanua, Tim D. Strong, "Area I/O Flip-Chip Packaging to Minimize Interconnect," *IEEE Multi-Chip Module Conference*, Santa Cruz, CA, Feb. 4-5, 1997, pp. 2-7.
 - P. Stetson, R. Brown, "A Complementary GaAs PLL Clock Multiplier with Wide-Bandwidth and Low-Voltage Operation," *18th Annual IEEE GaAs IC Symposium: Technical Digest 1996*, Orlando, FL, Nov. 3-6, 1996, pp. 317-320.
 - R. Brown, T. Basso, P. Parakh, S. Gold, C. Gauthier, R. Lomax, T. Mudge, "Complementary GaAs Technology for a GHz Microprocessor," invited paper, *18th Annual IEEE GaAs IC Symposium: Technical Digest 1996*, Orlando, FL, Nov. 3-6, 1996, pp. 313-316.
 - R. Brown, J. Hayes, T. Mudge, "Rapid prototyping & evaluation of high-performance computers," *Proc. Conf. Experimental Research in Computer Systems, NSF Experimental Systems*, Ed. L. Snyder, Washington DC, June 1996, pp. 159-168.

- R. W. Hower, R. B. Brown, E. Malinowska, R. K. Meruva, M. E. Meyerhoff, "Study of Screen Printed Wells in Solid-State Ion Sensor Electrodes," *Technical Digest: Solid-State Sensor and Actuator Workshop*, Hilton Head, S.C., June 2-6, 1996, pp. 132-135.
- R. K. Meruva, E. Malinowska, R. W. Hower, R. B. Brown, M. E. Meyerhoff, "Improved EMF Stability of Solid-State Ion-Selective Sensors By Incorporation of Lipophilic Silver- Calix[4]arene Complexes Within Polymeric Films," *Proc. of Transducers'95, Eurosensors IX*, Stockholm, June 25-29, 1995, pp. 855-858.
- E. Malinowska, V. Oklejas, R. W. Hower, R. B. Brown, M. E. Meyerhoff, "Enhanced Electrochemical Performance of Solid-State Ion Sensors Based on Silicone Rubber Membranes," *Proc. of Transducers'95, Eurosensors IX*, Stockholm, June 25-29, 1995, pp. 851-854.
- R. W. Hower, J. H. Sin, G. S. Cha, R. K. Meruva, M. E. Meyerhoff, R. B. Brown, "New Solvent System for the Improved Electrochemical Performance of Screen-Printed Polyurethane Membrane- Based Solid-State Sensors," *Proc. of Transducers'95, Eurosensors IX*, Stockholm, June 25-29, 1995, pp. 859-862.
- A. Chandna, C. D. Kibler, R. B. Brown, M. Roberts, K. Sakallah, "The Aurora RAM Compiler," *Proc. of the 32nd Design Automation Conference*, San Francisco, CA, June 12- 16, 1995, pp. 261-266.
R. K. Meruva, D. Liu, R. B. Brown, M. E. Meyerhoff, "Enhancing Stability of Solid-State Ion- Selective Electrodes by Incorporation of Lipophilic Silver Complexes in Polymeric Films," *1995 Pittsburgh Conference (Pittcon '95)*, New Orleans, LA, March 5-10, 1995, no. 1083.
- A. Chandna, R. B. Brown, D. Putti, C. D. Kibler, "Power Rail Logic: A Low Power Logic Style for Digital GaAs Circuits," *16th Annual IEEE GaAs IC Symposium: Technical Digest 1994*, Oct. 16-19, 1994, pp. 71-74.
- P. Sherhart, M. Upton, R. Lomax, R. Brown, "A Variable-Voltage Bidirectional I/O Pad for Digital GaAs Applications," *16th Annual IEEE GaAs IC Symposium: Technical Digest 1994*, Oct. 16-19, 1994, pp. 67-70.
- M. Upton, T. Huff, T. Mudge, R. Brown, "Resource Allocation in a High Clock Rate Microprocessor," *Sixth International Conference on Architectural Support for Programming Languages and Operating Systems*, San Jose, CA, Oct. 4-7, 1994, pp. 98-109.
- M. S. Ryu, J. H. Shin, G. S. Cha, R. W. Hower, R. B. Brown, "Polymer membrane matrices for fabricating potentiometric ion sensors," *The Fifth International Meeting on Chemical Sensors*, Rome, Italy, July 11-14, 1994, pp. 961-964.
- M. E. Poplawski, R. W. Hower, R. B. Brown, "A Simple Packaging Process for Chemical Sensors," *Technical Digest: Solid-State Sensor and Actuator Workshop*, Hilton Head, S.C., June 13-16, 1994, pp. 25-28.
M. E. Poplawski, A. R. Midgley, R. B. Brown, "Batch Fabricated Amperometric Biosensors," *Biosensors 94, The Third World Congress on Biosensors: Abstracts*, New Orleans, LA, June 1-3, 1994.
D. Liu, H. D. Goldberg, R. W. Hower, R. B. Brown, M. E. Meyerhoff, "Optimizing screen- printed, microfabricated, potentiometric solid-state ion/biosensor arrays," *1994 Pittsburgh Conference (Pittcon'94)*, Feb. 1994, no. 502.

- T. Stanley, M. Upton, P. Sherhart, T. Mudge, R. Brown, "A Microarchitectural Performance Evaluation of a 3.2 Gbyte/s Microprocessor Bus," *MICRO-26, 26th Annual ACM/IEEE International Symposium on Microarchitecture*, Austin, TX, Dec. 1-3, 1993, pp. 31-40.
- A. Chandna, R. B. Brown, "An Asynchronous GaAs MESFET Static RAM Using a New Current Mirror Memory Cell," *1993 GaAs IC Symposium*, Oct. 10-13, 1993, pp. 79-82.
- J. C. Toole, R. B. Brown, "GaAs Opportunities in High Performance Computing and Communications," Keynote address delivered by R. B. Brown, *1993 GaAs IC Symposium*, Oct. 10-13, 1993, pp. 3-6.
- Michael A. Riepe, João Marques Silva, Karem A. Sakallah, Richard B. Brown, "Ravel-XL: A Hardware Accelerator for Assigned-Delay Compiled-Code Logic Gate Simulation," *Int. Conf. on Computer Design*, Oct. 11, 1993, pp. 361-364.
- D. Liu, H. D. Goldberg, R. B. Brown, M. E. Meyerhoff, "Solid-state potentiometric ion-selective sensor arrays and their applications in the flow-injection analysis," Beijing Conference and Exhibition on Instrumental Analysis (BCEIA), Oct., 1993, no. 6505.
- T. Huff, M. Upton, T. Mudge, R. Brown, "The Aurora Project," *Record of Hot Chips V*, Stanford CA, Aug. 8-10, 1993, pp. 3.2.1-3.2.12.
- K. S. Lee, J. H. Shin, M. J. Cha, G. S. Cha, M. Trojanowicz, D. Liu, H. D. Goldberg, R. W. Hower, R. B. Brown, "Multiionophore-Based Solid-State Potentiometric Ion Sensor as a Cation Detector for Ion Chromatography," *7th International Conference on Solid-State Sensors and Actuators (Transducers '93)*, Yokohama, Japan, June 7-10, 1993, pp. 378-381.
- R. Uhlig, D. Nagle, T. Stanley, T. Mudge, S. Sechrest, R. Brown, "Design Tradeoffs for Software-Managed TLBs," *Proc. of the 20th Ann. Int. Symposium on Computer Architecture (ISCA)*, San Diego, CA, May 16-19, 1993, pp. 27-38.
- T. Huff, M. Upton, P. Sherhart, P. Barker, R. McVay, T. Stanley, R. Brown, R. Lomax, T. Mudge, K. Sakallah, "A High Performance GaAs Microprocessor," *Proceedings of the IEEE Laser and Optics Society Sarnoff Symposium*, Princeton, N. J., March 1993, pp. 174-181.
- A. Chandna, R. B. Brown, "A 32kb GaAs SRAM with Electronically Programmable Redundancy," *Proceedings of the 1993 Symposium, Research on Integrated Systems*, MIT Press, edited by Gaetano Borriello and Carl Ebeling, Seattle, WA, 1993, March 14-16, pp. 155-167.
- M. Upton, T. Huff, P. Sherhart, P. Barker, R. McVay, T. Stanley, R. Brown, R. Lomax, T. Mudge, K. Sakallah, "A 160,000 transistor GaAs microprocessor," *Int. Solid-State Circuits Conf. Dig. Tech. Papers*, Feb. 1993, vol. 36, pp. 92-94.
- R. Brown, P. Barker, A. Chandna, T. Huff, R. Lomax, T. Mudge, K. Sakallah, P.J. Sherhart, R. Uhlig, M. Upton, "GaAs RISC Processors," Invited paper, *GaAs IC Symposium Tech. Dig.*, Miami Beach, FL, Oct. 4-7, 1992, pp. 81-84.
- R. Brown, A. Chandna, T. Huff, R. Lomax, T. Mudge, R. Oettel, M. Upton, "Compound Semiconductor Device Requirements for VLSI," Invited paper, *Gallium Arsenide and Related Compounds 1992*, Institute of Physics Conference Series no. 129, Institute of Physics Publishing, Bristol, UK, Karuizawa, Japan, Sep. 28-Oct. 2, 1992, pp. 857-862.

- Dong Liu, Howard Goldberg, Richard Brown, Mark Meyerhoff, ``Potentiometric Solid-State Ion/Bio-sensors Based on Asymmetric Polyurethane Membranes,” *19th Annual FAACS Meeting Digest of Technical Abstracts*, Philadelphia, PA, Sept. 20, 1992, no. 43, pp. 115.
- H. D. Goldberg, D. P. Liu, R. W. Hower, M. E. Poplawski, R. B. Brown, “Screen Printing: A Technology for Partitioning Integrated Microsensor Processing,” *Tech. Dig., IEEE Solid-State Sensor and Actuator Workshop*, Hilton Head, SC, June 22-25, 1992, pp. 140-143.
 - O. A. Olukotun, T. N. Mudge, R. B. Brown, “Performance optimization of pipelined primary caches,” *Proc. of the 19th International Symposium on Computer Architecture*, May 19-21, 1992, pp. 181- 190.
 - A. I. Kayssi, K. A. Sakallah, R. B. Brown, R. J. Lomax, T. N. Mudge, T. R. Huff, “Impact of MCM’s on system performance optimization,” *Proc. of the 1992 IEEE Int. Symp. on Circuits and Systems*, vol. 2, San Diego, CA, May 1992, pp. 919-922.
 - R. Brown, A. Chandna, T. Hoy, T. Huff, R. Lomax, T. Mudge, D. Nagle, K. Sakallah, R. Uhlig, M. Upton, “Synthesis and verification of a GaAs microprocessor from a Verilog hardware description,” *Proc. Open Verilog Int. User Group Meeting*, Mar. 1992, pp. 85-92.
 - Richard B. Brown, Ronald J. Lomax, Gordon Carichner, “A Microprocessor Design Project in an Introductory VLSI Course,” *Proc. of the 1991 Microelectronic System Education Conference*, Santa Clara, CA, July 22-25, 1991, pp. 195-205.
 - M. E. Poplawski, H. C. Cantor, A. R. Midgley, R. B. Brown, “Microfabricated Amperometric Biosensors,” *Proc. of the 6th International Conference on Solid-State Sensors and Actuators (Transducers '91)*, San Francisco, CA, June 24-28, 1991, pp. S9-S12.
 - H. D. Goldberg, G. S. Cha, D. Liu, Me. E. Meyerhoff, R. B. Brown, “Improved Stability at the Polymeric Membrane/Solid-Contact Interface of Solid-State Potentiometric Ion Sensors,” *Proc. of the 6th International Conference on Solid-State Sensors and Actuators (Transducers '91)*, San Francisco, CA, June 24-28, 1991, pp. 781-784.
 - Koucheng Wu, Richard B. Brown, “High-Temperature Design Rules,” *Proc. of the First International High Temperature Electronics Conference*, Albuquerque, NM, June 16-20, 1991, pp. 267-272.
 - O. A. Olukotun, T. N. Mudge, R. B. Brown, “Implementing a Cache for a High-Performance GaAs Microprocessor,” *The 18th Annual International Symposium on Computer Architecture (ISCA), Computer Architecture News*, May 27-30, 1991, vol. 19, no. 3, pp. 138-147.
 - M. Upton, T. Hoy, T. Huff, R. Brown, R. Oettel, M. Rossman, “Module Generation for a GaAs Microprocessor,” *Technical Digest of the Third Physical Design Workshop*, Laurel Highlands, PA, May 20-22, 1991, pp. 88-94.
 - Richard B. Brown, “The Silicon Compiler as a Tool for Teaching Microelectronic System Design,” *Technical Digest of the Third Physical Design Workshop*, Laurel Highlands, PA, May 20-22, 1991, pp. 64-75.
 - M. E. Meyerhoff, G. S. Cha*, S. C. Ma, H. D. Goldberg, R. B. Brown, A. R. Midgley, H. C. Cantor, “New Polymeric Membrane Materials for Fabricating Potentiometric Ion- and Bio- Selective Sensors,” *Polymeric Material Science and Engineering Proceedings*, American Chemical Society, Atlanta, GA, April, 1991, vol. 64, pp. 292-293.

Muh-Ling Ger, Richard B. Brown, "Characterization of Sputtered Tungsten Silicide as a Micromechanical Material," Abstracts of the Materials Research Society Spring Meeting, San Francisco, CA, April 27-31, 1992.

- A. I. Kayssi, K. A. Sakallah, R. B. Brown, R. J. Lomax, T. N. Mudge, T. R. Huff, "Impact of MCM's on System Performance," *Proceedings of the 1991 Multichip Module Workshop*, Santa Cruz, CA, March 28-29, 1991, pp. 58-65
- T. N. Mudge, R. B. Brown, W. P. Birmingham, J. A. Dykstra, A. I. Kayssi, R. J. Lomax, O. A. Olukotun, K. A. Sakallah, R. Milano, "The Design of a GaAs Micro-Supercomputer," *Proceedings of the Hawaii International Conference on System Sciences*, Jan. 8-11, 1991, vol. 1, pp. 421-432.
- R. J. Lomax, R. B. Brown, K. Sakallah, T. N. Mudge, "Design of a GaAs Micro Supercomputer," First Great Lakes Symposium on VLSI, Kalamazoo, MI, March 1-2, 1990.
- C. Kim, D. Kang, R. B. Brown, K. D. Wise, "A High Resolution Current Stimulating Probe for Use in Neural Prostheses," *Proceedings of the First Great Lakes Symposium on VLSI*, Kalamazoo, MI, March 1-2, 1990, pp. 202-206.
- G. S. Cha*, D. V. Brown, M. E. Meyerhoff, H. C. Cantor, A. R. Midgley, H. D. Goldberg, R. B. Brown, "Performance, Biocompatibility, and Adhesion of Various Polymer Matrices for Preparation of Micro-Ion/Biosensor Arrays," invited paper, Microsensor Symposium, Federation of Analytical Chemists and Spectroscopists 17th Annual Meeting (FACSS), Cleveland, OH, Oct. 7-12, 1990.
- Howard D. Goldberg, Geun Sig Cha*, Robert W. Hower, Richard B. Brown, "Batch Fabrication of Solid-State Ion-Selective Sensors," *Proceedings of the Third International Meeting on Chemical Sensors*, Cleveland, OH, Sept. 24-26, 1990, pp. 31-32.
- Richard B. Brown, "The Redesign of an Undergraduate Curriculum to Incorporate Computer-Aided Design," *Proceedings of the Eighth Annual Conference on University Programs in Computer Aided Engineering, Design, and Manufacturing (UPCAEDM)*, Ann Arbor, MI, Aug. 12-15, 1990, pp. 110-115.
- Richard B. Brown, "An Advanced VLSI Course Using Silicon Compilation," *Proceedings of the 1990 Microelectronic System Education Conference*, San Jose, CA, July 29-Aug. 1, 1990, pp. 177-187.
- H. D. Goldberg, G. S. Cha*, R. B. Brown, "Ion-Selective Sensors Incorporating Strongly Adhesive Polymeric Membranes," *Proceedings of 1990 North American Workshop on Solid-State Sensors and Actuators*, June 4-7, 1990, pp. 169-172.
- Geun Sig Cha*, Richard B. Brown, "Improved Adhesion and Biocompatibility of Polymeric Ion-Selective Membranes," First World Conference on Biosensors (Biosensors 90), Singapore, May 2-4, 1990.
- Richard B. Brown, Muh-Ling Ger, Tri Nguyen, "Characterization of Molybdenum Thin Films for Micromechanical Structures," *Proceedings of the IEEE Micro Electro Mechanical Systems Workshop*, Napa Valley, CA, Feb. 1990, pp. 77-81.
- Geun Sig Cha*, Richard B. Brown, "Polyimide-Matrix Chemical-Selective Membranes," *5th International Conference on Solid-State Sensors and Actuators (Transducers '89 and Eurosensors III)*, June 1989, pp. 51-52.
- Richard B. Brown, Ronald J. Lomax, "Industrial Cooperation in a Program Based on Commercial VLSI Tools," 1988 VLSI Education Conference, Aug. 24-26, 1988.

- R. B. Brown, K. Wu, M. Ghezzi, D. M. Brown, "A CMOS Process for High Temperature Sensors and Circuits," *Proceedings of the 1988 North American Workshop on Solid-State Sensors and Actuators*, June 5-9, 1988, pp. 117-118.
 - R. B. Brown, K. Wu, F. L. Terry, W.-T. Shiau, M. Ghezzi, "Cost-Effective Technology for High Temperature Sensors," Sandia Workshop on High-Temperature Electronics, April 12-14, 1988.
 - R. B. Brown, F. L. Terry, K. Wu, "High Temperature Microelectronics - Expanding the Applications for Smart Sensors," invited paper, *Technical Digest of the International Electron Devices Meeting*, Dec. 6-9, 1987, pp. 274-277.
- R. B. Brown, "Solid-State Circuitry for Integrated Biosensors," *1986 American Chemical Society Meeting*, Sept. 8-12, 1986.
- R. B. Brown, R. J. Huber, D. Petelenz, J. Janata, "An Integrated Multiple-Sensor Chemical Transducer," *Proceedings of the International Conference on Solid-State Sensors and Actuators (Transducers '85)*, Philadelphia, PA, June 1985, pp. 125-127.

Other Presentations and Publications

Richard B. Brown, "Interfacing to the Brain with Electrochemical Sensors", Lecture Series for the College of Technology and Computing, Utah Valley University, Orem, UT, April 2, 2009

Richard B. Brown, "Silicon Electrochemical Neurosensors," Global Management of Technology Conference 2008, Seoul, Korea, Sept. 25, 2008, slides pp. 189-210.

Richard B. Brown, "Silicon Electrochemical Neurosensors," Korea Technology Industry Co., Technology Research Center, Seoul, Korea, Sept. 26, 2008.

Richard B. Brown, "Electrochemical Neurosensor Systems," seminar at Georgia Institute of Technology, May 27, 2008.

Richard B. Brown, "Sensor Interface Electronics," Iowa State University, Ames, IA, Nov. 17, 2007.

Richard B. Brown, "Silicon Electrochemical Neurosensor Arrays," University of Puerto Rico, Mayaguez Campus, San Juan Puerto Rico, April 27, 2007.

M.D. Johnson, M.D. Gibson, L.G. Salas, R.K. Franklin, R.B. Brown, D.R. Kipke, "Spatiotemporal Neurochemical and Electrophysiological Recordings in Rodents," Neural Interface Workshop, Bethesda, MD, Aug. 2006.

Jun Ho Shim, Joo Young Cho, Hakhyun Nam, Geun Sig Cha, Ryan J. White, Henry S. White, Richard B. Brown, "Nanopore-based All-Solid-State Ion-Selective Microelectrodes," 96th Korea Chemical Society Meeting, Yonsei University, Wonju Korea, Oct. 21-22, 2005, pp. 431.

Richard B. Brown, panel member, "Mixed-Signal Analog/Digital Circuit and System Design Issued in Scaled Technologies Beyond 65nm," IEEE Intl 2005 SOI Conf, Honolulu HI, Oct. 2-6, 2005.

Jayakumaran Sivagnaname, Hung Ngo, Kevin Nowka, Robert Montoye, Richard B. Brown, "Study of Wide LSDL Circuit Implementations," IBM Austin Center for Advanced Studies Conference, Austin, TX, Feb. 24-25, 2005.

Robert M. Senger, Eric D. Marsman, Richard B. Brown, "Methodology for Instruction Level Power Estimation in Pipelined Microsystems," IBM Austin Center for Advanced Studies Conference, Austin, TX, Feb. 24-25, 2005.

Richard B. Brown, "Low-Power Systems-On-Chips," IBM T.J. Watson Research Labs, Yorktown, NY, Nov. 17, 2004.

Richard B. Brown, Dennis Sylvester, Michael Flynn, David Blaauw (2004, June 21), VLSI Course Materials [Online]. Available: <http://www.intel.com/education/highered/VLSI.htm>

R.M. Senger, E.D. Marsman, M.S. McCorquodale, F.H. Gebara, K.L. Kraver, M.R. Guthaus, R.B. Brown, "A 16-Bit Mixed-Signal Microsystem with Integrated CMOS-MEMS Clock Reference," invited poster presentation at IEEE International Solid-State Circuits Conference (ISSCC), San Francisco, CA, Feb. 15-19, 2004, and at 41st Design Automation Conference, San Diego, CA, June 7-11, 2004.

Richard B. Brown, "Digital, Analog, MEMS Systems-on Chips," Rice University, Houston, TX, April 15, 2004.

Richard B. Brown, "Engineering in the 21st Century," BYU Engineering Week, Provo, UT, Feb. 27, 2004.

Rahul M. Rao, Richard B. Brown, Kevin Nowka, Jeffrey L. Burns, "Analysis and Mitigation of CMOS Gate Leakage," *Proceedings of the Fifth Annual Austin Center for Advanced Studies Conference*, Austin, TX, Feb. 19-20, 2004, pp. 7-11.

Alan J. Drake, Richard B. Brown, "Performance Impact of Gate-Body Signal Phase on DTMOS Inverters," *Proceedings of the Fifth Annual Austin Center for Advanced Studies Conference*, Austin, TX, Feb. 19-20, 2004, pp. 35-38.

Robert M. Senger, Eric D. Marsman, Michael S. McCorquodale, Fadi H. Gebara, Keith L. Kraver, Matthew R. Guthaus, Richard B. Brown, "A 16-Bit Mixed-Signal Microsystem with Integrated CMOS-MEMS Clock Reference," invited poster presentation at *IEEE International Solid-State Circuits Conference (ISSCC)*, San Francisco, CA, Feb., 15-19, 2004, and at *41st Design Automation Conference*, San Diego, CA, June 7-11, 2004.

Richard B. Brown, "Digital, Analog, MEMS Systems-on-Chips," The University of Texas at Austin VLSI Seminar Series, Austin, TX, Dec. 3, 2003.

Michael S. McCorquodale, Richard B. Brown, "Monolithic and Top-Down Clock Synthesis with Micromachined RF Reference," *IFIP VLSI-SoC International Conference*, Ph.D. Forum, Darmstadt, Germany, Dec.1-3, 2003.

Richard B. Brown, "Low-Power Mixed-Signal Microcontrollers for Solid-State Sensor Applications," IBM Austin Research Laboratory, Austin, TX, Nov. 7, 2003.

Richard B. Brown, "AMS Low Power Microcontrollers," Sept. 13, 2003, at Computer-Aided Network Design Committee workshop (CANDE 2003).

Wei Zhang, Daniel Burke, Hairong Zhang, Sung Choi, Youngmi Lee, Richard Brown, Mark E. Meyerhoff, "Electron-Relay Enabled Immunosensors using Magnetic Microspheres," Michigan Life Sciences Corridor Biotechnology Conference, Novi, MI, April 8, 2003.

Alan J. Drake, Richard B. Brown, "Saving Clock Power Using Resonant Clock Generation," Proceedings of the Fourth Annual Austin Center for Advanced Studies Conference, Austin, TX, Late News pp. 1-4, Feb. 21, 2003.

Jay Sivagnaname, Rahul Rao, Richard B. Brown, "Dual Issue PowerPC FXU Processor," First Prize in the Design Contest, *16th International Conference on VLSI Design (VLSI DESIGN 2003)*, New Delhi, India, Jan. 4-8, 2003.

S. J. Pace, R. Brown, "Sensor Micro-Arrays Offer Complete Testing Solutions," *Proceedings: The 7th International Conference on the Commercialization of Micro and Nano Systems (COMS 2002)*, Ypsilanti, MI, pp. 483-488, Sept. 8-12, 2002.

Steven M. Martin, Roy H. Olsson III, Richard B. Brown, "A Microsystem for Near-Patient Accelerated Clotting Time Blood Tests," First Prize Conceptual Category and Best Paper in the Student Design Contest, *39th Design Automation Conference*, New Orleans, LA, June 10-14, 2002.

Richard B. Brown, "Low-Power Mixed-Signal Microcontrollers," Workshop on Low-Power Circuits, Arlington, VA, Oct. 11-12, 2001.

Richard B. Brown, "Solid-State Liquid Chemical Sensor Testing Issues," *International Test Conference 2000*, Atlantic City, NJ, pp. 1135, Oct. 1-6, 2000.

Richard B. Brown, Spencer M. Gold, Phiroze N. Parakh, Todd D. Basso, "An Evaluation of Complementary GaAs Technology for Microprocessor Applications," *Workshop on Complementary Heterostructure FETs*, Albuquerque, NM, Nov. 18-19, 1996.

Marie Meyer, Steve Baier, Richard B. Brown, "Digital GaAs," *Compound Semiconductor* (Magazine), pp. 26-32, September/October 1996.

R. B. Brown, "System Optimization," ARPA EPI (Electronics Packaging and Interconnect) Conference, Arlington, VA, Feb. 27-March 3, 1995.

Richard B. Brown, "Biosensors," American Society of Mechanical Engineers Winter Annual Meeting, Dallas, TX, Nov. 25-30, 1991.

Richard B. Brown, Kou-Cheng Wu, Mario Ghezzi, Dale M. Brown, "High Temperature Microelectronics for Smart Sensors," Instrument Society of America, Symposium on Innovation in Measurement Science, Aug. 2-5, 1988.

Richard B. Brown, "State-of-the-Art of High Temperature Electronics," GE Aircraft Controls Conference, June 27-28, 1988.

R. B. Brown, "Integration of Electronics with Solid-State Biosensors," Gordon Research Conference on Applied and Environmental Microbiology, July 26-31, 1987.

T. Shimei, R. B. Brown, H. Wang, "Coupling a Multiple Micro-Biosensor with a Process Monitor for On-Line Process Monitoring," Recent Advances in Biotechnology Symposium, June 16-17, 1987.

R. B. Brown, "Integrated Microsensors," Recent Advances in Biotechnology Symposium, July 10- 11, 1986.

R. B. Brown, "An Integrated Chemical Transducer Array," *WESCON '85 Professional Papers*, 27:5, San Francisco, CA, pp. 1-8, Nov. 19-22, 1985.

Books

- R. B. Brown, *An Integrated Multiple-Sensor Chemical Transducer*, Ph.D. Dissertation, University of Utah, June 1985.
- R. B. Brown, *A Digital Memory Scope for Logic System Analysis*, MS Thesis, Brigham Young University, April 1976.

Chapters in Books

- Robert Franklin, Steven Martin and Timothy D. Strong, Richard B. Brown, "Chemical and Biological Systems: Chemical Sensing for Liquids," in *Comprehensive Microsystems*, Y. B. Gianchandani, O. Tabata, H. Zappe (ed.) Oxford: Elsevier Ltd, 2007, vol. 2, pp. 433-462.
- Richard B. Brown and Koucheng Wu, "Scaling CMOS Design Rules for High-Temperature Operation," in *High-Temperature Electronics*, Randall K. Kirschman, Ed. IEEE Press, New York, 1999, pp. 278- 282.
- Richard B. Brown and Fred L. Terry, Koucheng Wu, "High Temperature Microelectronics - Expanding the Applications for Smart Sensors," reprint, in *High-Temperature Electronics*, Ed. Randall K. Kirschman, Ed. IEEE Press, New York, 1999, pp. 223-226.
- Richard B. Brown and Koucheng Wu, "High Temperature Operation of Silicon MOS Transistors," in *High Temperature Electronics*, M. Willander and H. L. Hartnagel, Eds., Chapman and Hall, London, 1997, pp. 67-119.
- Richard B. Brown and Edward T. Zellers, "Environmental Monitoring," Chapter 20 in *Sensors: A Comprehensive Survey, Volume 1: Fundamentals and General Aspects*, W. Göpel, J. Hesse, J. N. Zemel, Eds., W. H. Ko and T. Grandke, Volume Eds., VCH Publishing Co., West Germany, 1989, pp. 529- 554.

Book Reviews

- Thomas DeMassa and Zack Ciccone, *Digital Integrated Circuits*, John Wiley Sons, Inc.
- David Hodges and Horace Jackson, *Analysis and Design of Digital Integrated Circuits*, 2nd Ed., McGraw Hill.
- Jan M. Rabaey, *Digital Integrated Circuits, A Design Perspective*, Prentice Hall.

Government Reports

- Richard B. Brown, Environmental Sensors, Report on Micro Nano Systems Horizon 2040 Workshop, Denver, CO, June 21, 2009, p. 1-15.
- Richard B. Brown, *Research Agenda Proposal for High Temperature Electronics*, NSF, Nov. 1988, pp. 1-19.

Service

Committee Assignments at U of Utah

Committee	Position	Date
Tech. Transfer Office Director Search Com.	Co-Chair	8/04 - 5/05
CoE Industrial Advisory Board	Ex Officio Member	7/04 -
CoE Engineering National Advisory Com.	Ex Officio Member	7/04 -
CoE Executive Committee	Chair	7/04 -
Utah Science Technology and Research (USTAR) Oversight Committee	Member	7/04 - 9/05
University Academic Senate	Senator-Deans' Rep	8/05 – 5/07
Academic Senate Executive Committee	Member	8/06 – 5/07
Presidential Mission Statement Task Force	Member	9/05 - 3/06
University Commercialization Advisory Board	Member	10/05 -
Cyber Infrastructure Advisory Committee	Member	10/05 - 3/06
Advancement Policy Council	Member	12/05 – 3/09
Effort Reporting for Sponsored Research - Steering Committee	Member	1/06 – 10/08
USTAR Building - Steering Committee	Member	5/06 -
Disaster Resistant University Advisory Com.	Member	8/06 – 10-08
Internal International Advisory Board	Member	10/06 -
Asia Center Advisory Board	Member	8/07 -
Communication, Leadership, Ethics and Research (CLEAR) Advisory Board	Member	9/07 -
USTAR Bldg. Programming Committee Quadrangle Master Planning Committees Open Space Committee, Design Committee NanoFab Subcommittee	Member	1/08 -

College of Pharmacy Dean Search Committee	Member	10/08 –
Mathematics Steering Committee	Member	9/08 -

Committee Assignments at U of Michigan

<u>Committee</u>	<u>Position</u>	<u>Date</u>
EECS Ad hoc Circuits Review Com.	Member	10/85 - 1/87
SSEL Operations Com.	Member	1/86 - 9/00
EECS Ad hoc Com. on CAD Tools	Chair	3/86 - 12/87
Solid-State Lab Mgr. Search Com.	Member	9/86 - 10/86
EECS Computer Policy Com.	Member	9/86 - 8/91
IEEE Student Chapter Advisor	Advisor	1/87 - 8/90
SSEL Ad hoc Com. on Document Prep.	Chair	2/87 - 4/87
EECS Ad hoc Computing Needs Com.	Member	3/87 - 5/87
EECS Elec. Sci. Eng. Division Executive Com.	Member	9/88 - 8/89
College Honors and Awards Com.	Member	9/88 - 9/90
EECS Elec. Sci. Eng. Division Graduate Com.	Member	9/92 - 8/94
EECS Circuits Advisor	Advisor	9/92 - 8/94
CAEN Executive Committee	Member	10/90 - 8/95
EECS Dept. Executive Committee	Member	9/93 - 8/95 9/97 - 5/03
Solid-State Faculty Search Committee	Member Chair	9/96 - 9/99 9/98 - 9/99
EECS Department Chair Search Committee	Member	11/96 - 9/97
CoE National Advisory Committee	Participant	11/98
DCO Executive Committee	Member	9/97 - 9/98

Circuits Faculty Search Committee	Chair	9/97 - 8/98
	Member	9/98 - 9/99
Tauber Manufacturing Institute	Board of Directors	9/97 - 9/99
TMI Industrial Co-Director Search Committee	Member	9/98 - 6/99
UM Conflict of Interest Committee	Member	9/95 - 4/01
EECS Administrative Committee	Member	10/97 - 6/01
EECS Honors and Awards Committee	Member	9/97 - 5/03
EECS National Advisory Committee	Participant	3/99
ESE/SSE Curriculum Committee	Member	9/98 - 6/01
CoE Task Force on Reshaping Graduate Engineering Education	Member	9/98 - 6/99
EECS Ad Hoc Committee on Undergraduate Programs	Member	9/99 - 3/00
EECS Futures Committee	Member	3/00 - 11/00
EECS National Advisory Committee	Participant	9/00
CE Undergrad Degree Committee	Member	10/00 - 7/01
EE/Systems Organization Committee	Member	4/01 - 8/01
EECS Administrative Committee	Chair	7/01 - 5/03
ECE Executive Committee	Chair	7/01 - 5/03
CSE Executive Committee	Member	7/01 - 5/03
CoE Chair Advisory Committee	Member	7/01 - 5/03
EECS National Advisory Committee	Organizer	3/02
CoE National Advisory Committee	Participant	4/02
CoE Committee on Interdisciplinary Research	Member	9/02 - 5/03

Medical School Conflict of Interest Board	Member	9/02 - 2/02
CoE International Programs Committee	Member	9/02-
Arthur F. Thurnau Professorships	Reviewer	2002 - 03 2002
Michigan Society of Fellows	Reviewer	
OVPR Review Committee of Conflict of Interest & Commitment Policies	Member	2003
Infrastructure Systems Initiative (ISI) Steering Committee	Member	2003

(see key below)

CoE	College of Engineering
EECS	Electrical Engineering and Computer Science Department
ECE	Electrical and Computer Engineering Division of EECS
CSE	Computer Science and Engineering Division of EECS
ESE	<i>former</i> Electrical Science and Engineering Division of EECS
SSE	<i>former</i> System Science and Engineering Division of EECS
SSEL	Solid-State Electronics Laboratory
CAEN	College of Engineering Computer-Aided Engineering Network
DCO	EECS Departmental Computing Organization
UM	University of Michigan

Administrative Duties at U of Utah

<u>Organization</u>	<u>Duty</u>	<u>Date</u>
CoE	Dean	7/04 -

Administrative Duties at U of Michigan

<u>Organization</u>	<u>Duty</u>	<u>Date</u>
EECS/CAEN Electronic CAD Application Sector	Director	6/88 - 6/04
EECS Department	Assoc. Chair	10/97 - 6/01
EECS Department	Interim Chair	7/01 - 6/03

Service to Government and Professional Organizations

<u>Type/Organization</u>	<u>Position</u>	<u>Date</u>
<u>Proposal Reviewer</u>		
NIH	Reviewer	
UM Undergraduate Initiatives Grants	Reviewer	
State of Michigan Research Fund Proposals	Reviewer	
UM Office V.P. for Research Grants	Reviewer	
NSF	Reviewer	
Department of Energy	Reviewer	
NIH Site Visit Special Study Section Panel	Member	98

Journal Reviewer/Editor/Advisory Board

<i>IEEE Transactions on Electron Devices</i>	Reviewer	
<i>Solid-State Electronics</i>	Reviewer	
<i>Analytical Chemistry</i>	Reviewer	
<i>Sensors and Actuators</i>	Reviewer	
<i>IEEE Circuits and Devices</i>	Reviewer	
<i>IEEE Journal of Solid State Circuits</i>	Reviewer	
<i>IEEE Journal of Solid State Circuits</i>	Guest Editor	95
<i>IEEE Transactions on Reliability</i>	Reviewer	
<i>IEEE Transactions on Very Large Scale Integrated (VLSI) Circuits</i>	Assoc. Editor	99-02
<i>Sensors</i>	Advisory Board	4/01-
<i>Proceedings of the IEEE</i>	Guest Editor	01-02
<i>American Society of Engineering Education</i>	Reviewer	02

Advisory Committees and Activities

NSF Workshop on Microelect. Sys. Edu. in the 1990s	Panel Member	90
ASME Emerging Technologies Com.	Member	90
NSF Workshop on Rapid Prototyping of ICs	Panel Member	93
ARPA/ONR Thermal Management Round Table	Member	93
MOSIS Advanced Technology Advisory Committee	Member	93-
NSF Workshop on Integration of Edu. & Res. in Microelec. Edu.	Panel Member	96
NSF MOSIS Advisory Council on Education	Chair	97-
Engineering Program Review for BYU ECE Dept.		99
National Advisory Committee for BYU ECE Dept.	Member	00-05
SRC Undergraduate Engineering Programs Advisory Board	Member	01-04
Hope College Engineering Advisory Board	Member	02-04
MOBIUS Microsystems Technical Advisory Board	Member	02-
Utah Technology Council	Member	04-
Utah Governor's Office of Economic Development	Member	08-
Quality Workforce Task Group		

Program Committees

VLSI Education Conference	
Advanced Research in VLSI	89
27th Hawaii Intl. Conference on System Sciences	92
GaAs IC Symposium	93
Advanced Research in VLSI	93-97
Advanced Research in VLSI Program Chair	95
Ninth Great Lakes Symposium on VLSI	99
Conference on Microelectronic Systems Education	99
Conf. on Advanced Research in VLSI	99
DAC 2000 (Chair of Student Design Contest)	99
SPIE'S Int'l. Symp. on Microtechnologies for the New Millennium	00
Microelectronic Systems Education Conference (MSE) 2003	03
2004 IEEE Intl. SOI Conference	03
MSE 2005 Program Committee	04
2005 SOI Conference	05
	05

Executive/Organizing Committees

Symposium on Cellular Bioengineering	Org. Com. Mem.	87
Instrument Soc. of America, Symp. on Innov. in Meas. Sci.	Session Org.	88
IEEE/NSF Multichip Module Workshop	Org. Com. Mem.	91
IEEE Mid-America Symposium on Circ. and Sys.	Org. Com. Mem.	93
1995 GaAs IC Symposium	Treasurer	95
1996 GaAs IC Symposium	Publicity Chair	96
1997 GaAs IC Symposium	Publicity Chair	97
1997 Conference on Advanced Research in VLSI (at UM)	General Chair	97
Ninth Great Lakes Symposium on VLSI	Executive Com.	99
Microelectronic Systems Education Conference 2001	Chair	01

Reference Letters

Prof. Brown writes many letters of reference for tenure and promotion cases for faculty around the country.

Consulting and Industry Board Memberships

Consulting has played an important role in keeping Prof. Brown current on VLSI and CAD topics, bringing industrial and government funding to his research group, forming critical relationships to aid in his research, and enriching the courses he has taught (e.g., the 16-bit RISC processor which is used as the baseline design in EECS427 is a proprietary National Semiconductor architecture, used with permission). In addition, he has had the exhilarating experience of helping define the next generation of microprocessors and VLSI CAD tools, and seeing some of his research work in several areas have an impact in commercial products.

Cardinal Industries, Webb City, MO	9/81 - 5/93
Integrated Microsystems, Inc., Ann Arbor, MI	9/86 - 12/86
General Electric Corporate R&D, Schenectady, NY	7/87
Seattle Silicon, Inc., Seattle, WA	10/87 - 8/91
Fleck Controls, Inc., Brookfield, WI	7/90 - 3/94
Cascade Design Automation, Seattle, WA	9/91 - 1/98
DuPont Medical, Newark, DE	3/93 - 5/95
Motorola Semicond. Prod. Sector, Phoenix, AZ	7/93 - 3/95
Leeds & Northrup, North Wales, PA	8/94
Burns, Doane, Swecker, Mathis, Washington, D.C.	2/95 - 6/95
Idiot Savants, Ann Arbor, MI	5/96 - 4/97
National Semiconductor, Santa Clara, CA	5/97 - 01
Intel Corporation, Santa Clara, CA	7/96
Advanced Micro Devices, Austin, TX	3/97
Giner, Inc., Waltham, MA	1/97 - 7/97
Advanced Sensor Technologies, Inc., Farmington Hills, MI	10/98 - 1/00
Collaboration by Design, Dallas, TX	2/99 - 1/00
Ardesta, LLC	12/00 - 6/04

Sensicore, Inc.	1/00 – 6/04
Technical Advisory Board	1/00 – 9/03
Maryland Higher Education Commission	8/00 - 5/02
i-sens - Scientific Advisory Board Member	3/00 –
Mobius Board of Directors	7/02 – 12/05
Mobius Advisory Board	12/05 --
V-Spring Capital	12/05 –

Honors and Awards

Date

University of Utah, Electrical & Computer Engineering Department Distinguished Young Alumnus Award	4/03
Arthur F. Thurnau Endowed Professorship – University of Michigan	7/01 - 6/04
Austin Center for Advanced Studies Fellow, IBM	7/01 - 12/05
Distinguished Faculty Award from Michigan Association of Governing Boards of Universities and Colleges	3/00
EECS Department Research Excellence Award -- UM	3/95
State of Michigan Teaching Excellence Award (one of 18 in Michigan)	6/90
IEEE Student Chapter 1988 Faculty Award -- UM	12/88
College of Engineering Teaching Excellence Award -- UM	12/87
Member of Eta Kappa Nu, Tau Beta Pi, and Phi Kappa Phi	

Patents Issued

Richard B. Brown and Noland E. Vogt, "Printer Unit," U.S. Design Patent D270,732, Sept. 27, 1983.

Richard B. Brown, "Integrated Circuit for a Chemical-Selective Sensor with Voltage Output," U.S. Patent 4,743,954, May 10, 1988.

Richard B. Brown and Geun-Sig Cha, "Solid State Ion Sensor with Silicone Membrane," U.S. Patent 5,102,526, April 7, 1992.

Richard B. Brown and Geun-Sig Cha, "Solid State Ion Sensor with Polyimide Membrane," U.S. Patent 5,417,835, May 23, 1995.

Ajay Chandna and Richard B. Brown, "High Speed Current Mirror Memory Cell Architecture," U.S. Patent 5,490,105, Feb. 6, 1996.

Richard B. Brown, Geun-Sig Cha and Howard D. Goldberg, "Batch Deposition of Polymeric Ion Sensor Membranes," U.S. Patent 5,607,566, March 4, 1997.

Hal C. Cantor, Richard B. Brown, Timothy D. Strong, "Microscopic Combination Amperometric and Potentiometric Sensor," U.S. Provisional Patent Serial No.:60/163,471, July 2000.

Timothy D. Strong, Richard B. Brown, Hal C. Cantor, "Batch Fabrication of Electrodes," U.S. Provisional Patent, Serial No.:60/163,654, July 2000.

Richard B. Brown and Steven M. Martin, "Laminated Devices and Methods of Making the Same," U.S. Patent 6,786,708, Sept. 7, 2004.

Robert W. Hower and Richard B. Brown, "Micromachined Sevice for Receiving and Retaining at Least One Liquid Droplet, Method of Making the Device and Method of Using the Device," US Patent 6,764,652, July 20, 2004.

Richard B. Brown, Ching-Te K. Chuang, Peter W. Cook, Koushik K. Das, and Rajiv V. Joshi, "Method of Reducing Leakage Current in Sub One Volt SOI Circuits," U.S. Patent 6,952,113, October 4, 2005.

Koushik K. Das and Richard B. Brown, "Low-Leakage Integrated Circuits and Dynamic Logic Circuits," U.S. Patent 6,933,744, Aug. 23, 2005.

Michael S. McCorquodale and Richard B. Brown, "MEMS-Based, Computer Systems, Clock Generation and Oscillator Circuits and LC-Tank Apparatus for Use Therein," U.S. Patent 6,972,635, December 6, 2005.

Richard B. Brown, Gary D. Carpenter, Fadi H. Gebara, "Ultra High Frequency Ring Oscillator with Voltage Controlled Frequency Capabilities," U.S. Patent 7,113,048, September 26, 2006.

Michael S. McCorquodale, Richard B. Brown, Mei Kim Ding, "Linearizing Apparatus and Method," U.S. Patent 7,132,874, November 7, 2006.

Michael S. McCorquodale and Richard B. Brown, "MEMS-Based, Computer Systems, Clock Generation and Oscillator Circuits and LC-Tank Apparatus for Use Therein," U.S. Patent 7,157,984, January 2, 2007.

Steven M. Martin, Roy H. Olsson, III, Richard B. Brown, Robert K. Franklin, "Microsystem for Determining Clotting Time of Blood and Low-Cost, Single-Use Device for Use Therein," U.S. Patent 7,291,310, Nov. 6, 2007

Patents in Progress

Henry S. White, Ryan J. White, Richard B. Brown, Hakhyun Nam, and Jun Ho Shim, "Nanopore Based Ion-Selective Electrodes," U.S. Patent Application No. 11/852,061 and International PCT Application No. PCT/US2007/019584 filed Sept. 7, 2007.

Joel Ehrenkrantz, Alan Moris and Richard Brown, "A method for predicting hypoglycemia," Provisional Application, March 2009.

Richard B. Brown, Joel Ehrenkrantz and Hakhyun Nam, "Integrated Glucometer and Insulin Delivery Pen," Provisional Application, October 2009.

Software Developed

Prof. Brown's group's work on GaAs CAD tools resulted in a commercial package that was available from Cascade Design Automation. It included a program for optimizing placement of datapath modules, a phase-checking program for circuits which use two-phase clocking, GaAs DCFL cell generators, delay macromodels, and power estimators.

Professional Memberships

Registered Professional Engineer.

Member of ASEE, IEEE and ACM, as well as the following IEEE Technical Societies: Solid-State Circuits; Electron Devices; Education; Computer; and Circuits and Systems.

Students

Postdoctoral Fellows

<u>Name</u>	<u>Ph.D. Received</u>	<u>Project Topic</u>	<u>Post Doc</u>
Geun Sig Cha	4/1989	Solid-State Sensor Membranes	1/1989 - 1/1991
Segyeong Joo	2/2006	Novel Chemical Sensors	10/2006 – 10/2008

Ph.D. Committees Chaired

<u>Name</u>	<u>Project Topic</u>	<u>Graduation/ Status</u>	<u>(Co-)Chair</u>
Koucheng Wu	High-Temperature CMOS	1990	Chair
Jeffrey A. Dykstra	VLSI GaAs DCFL Circuits	1990	Chair
Howard D. Goldberg	Integrated Solid-State Ion Sensors	1993	Chair
Hal Cantor	Amperometric Sensors for Monitoring Endocrine Events	1994	Co-Chair (BioEng.)
Muh-Ling Ger	Refractory Metal-Silicide Micromachining	1994	Chair
Ajay Chandna	GaAs DCFL SRAM for Embedded Applications	1994	Chair
Thomas R. Huff	Architecture and Circuits for a GaAs DCFL Floating-Point Unit	1995	Chair
Michael Upton	Architectural Tradeoffs in Latency- Tolerant GaAs DCFL CPU	1997	Co-Chair
P. Sean Stetson	Low Phase Jitter Clock Generation	1998	Chair
Phiroze Parakh	Design Methodology for Addressing Crosstalk in IC Design	1999	Chair
Todd D. Basso	Microarchitecture for Resource-Limited Superscalar Microprocessors	1999	Chair
Spencer M. Gold	Quantitative Nonlinear Process Scaling	1999	Chair
Claude Gauthier	Current-Mode I/O	1999	Chair
Koushik Das	Low-Power Circuit Design in SOI-CMOS Technology	2003	Chair
Keith Kraver	Low-Voltage Analog Front End	2004	Chair
Michael McCorquodale	On-Chip MEMS Clock Generation	2004	Chair
Timothy D. Strong	Solid-State Neural Sensors	2004	Chair
Robert W. Hower	Optical Solid-State Chemical Sensors	2005	Chair
Alan Drake	LC Clock Generation and SOI DTMOs	2005	Chair
Steven Martin	Mixed-Mode Electronics and Integrated Heavy Metal Sensors	2005	Chair
Rahul Rao	SOI Circuits to Minimize Gate Leakage	2005	Chair
Jay Sivagnaname	Unipolar Logic in SOI	2005	Chair

Fadi Gebara	Analog SOI Design	2005	Chair
Matthew Guthaus	Gain-Based Sizing CAD Tools	2006	Chair
Robert Senger	Low-Power Microprocessor	2007	Chair
Eric Marsman	Low-Power Embedded Processor with DSP	2010 exp.	Chair
Robert Franklin	Electrochemical Brain Probes	2010 exp.	Chair
Amlan Ghosh	Analog Front End for a Neural Prosthesis	2010 exp.	Chair
K. Jeff Campbell	Solid-State Chemical Sensors	2011 exp.	Chair
Nathanial Gaskin	Integrated Clocks for Systems on Chips	2011 exp.	Chair
Spencer Kellis	Digital Signal Processing for Neural Prosthetics	2011 exp.	Chair
F. Bennion Redd	VLSI and Low-Power Architecture	2012 exp.	Chair

M.S. Committees Chaired

<u>Name</u>	<u>Project Area</u>	<u>Graduation</u>	<u>(Co-)Chair</u>
Terry C. Huang	Solid-State Ion Sensor	S 1989	Chair
Tri Nguyen	Molybdenum Micromachining	F 1989	Co-Chair
Richard S. Raimi	High-Temperature CMOS	S 1990	Chair
Shailendra A. Save	GaAs Circuit Compiler	F 1990	Chair
David Johnson	Verilog to Layout CAD Tools	S 1991	Co-Chair
Phillip J. Barker	GaAs Bus Interface	S 1993	Chair
Robert G. McVay	GaAs Microprocessor Testing	S 1993	Chair
Thomas A. Hoy	GaAs Cell Generation	W 1994	Chair
C. David Kibler	GaAs SRAM Compiler	W 1994	Chair
David Putti	GaAs Load/Store Unit	S 1994	Chair
Mark E. Roberts	GaAs Processor Architecture	F 1994	Chair
Vince Mazzotta	High Perf. Systems	F 1996	Chair
Michael J. Kelley	Dynamic CGaAs Multiply/Acc. Unit	W 1997	Chair
John Wei	Low-Noise Mixed Signal Circuits	W 1999	Chair
Himanshu Sharma	Low-Power Microcontroller	S 1999	Chair
John Hall	Known-Good Die Testing	S 1999	Chair
Michael E. Poplawski	Whole Blood Sensor Array	1999	Chair
Jay Cameron	Low-Voltage Analog Design	W 2000	Chair
Edward Kohler	Instruction Compression for ARM	W 2000	Chair
Brian Larivee	Low-Voltage Analog Circuits	F 2002	Chair
Scott Pernia	Low-Voltage ADC	W 2003	Chair
Yunbum Jung	Cell Library Generation	W 2003	Chair
Daniel Burke	Electron-Relay Enabled Immunosensor	F 2003	Chair

Ph.D. Committee Member (since 1990)

<u>Name</u>	<u>Project Area</u>	<u>Graduation Status</u>
<u>ECE Electrical and Computer Engineering – U of U</u>		
Ondrej Novak	Ultra-Wide-Band Transceiver for Biomedical Implants	2010 exp.
<u>Chemistry Department – U of U</u>		
Deric Holden	Nanopore Sensors	2012 exp.
<u>EECE – IIT Kharagpur</u>		
Dipankar Das	Verification of Multiprocessor Embedded Applications	2009
Sri Ashudeb Dutta	CMOS Low Noise Amplifier For Multi-Standard Receiver	2009
<u>EECS Electrical and Computer Engineering Division – UM</u>		
Jin Ji	Multichannel Intracortical Recording Array	1990
Wei-Tsun Shiau	MOSFET Gate Insulator Reliability at High Temperatures	1990
Steven Cho	Ultra-Sensitive Silicon Pressure-Based Microflow Sensor	1991
Yibing Dong	Instrument for Engine Misfire Detection	1991
Nader Najafi	Smart Sensor with Multi-Element Gas Analyzer	1992
Arnold Hoogerwerf	Three-Dimensional Neural Recording Array	1992
Mark Nardin	Microstimulator with Bi-Directional Telemetry	1996
James Russel Webster	Integrated Capillary Electrophoresis Systems	1999
Uk-Song Kang	Capacitive Humidity Sensor	1999
Andrew Mason	Portable Wireless Multi-Sensor Microsystems for Environmental Monitoring	2000
Pang-Cheng Hsu	Silicon Micromachined Sensors and Actuators	2000
Jeong-Yeop Nahm	a-Si:H TFTs Active-Matrix for Liquid Crystal Display	2000
Joochan Kim	Active Matrix Liquid Crystal Display Technology	2000
Suhwan Kim	True Single-Phase Adiabatic Circuitry for High-Performance, Low-Energy VLSI	2001
Piu Francis Man	Microfluidics for DNA Lab on a Chip	2001
ChuanChe Wang	Contamination-Insensitive Differential Capacitive Pressure Sensors	2001
Yongtaek Hong	Active-Matrix Organic Polymer Light-Emitting Display:	2003
Maysam Ghovanloo	Wireless Microsystem for Neural Stimulating Microprobes	2004

Pedram Mohseni	Bi-directional Wireless Multichannel Microsystems for Biomedical Recording Applications	2005
Gary O'Brien	Angular Rate and Angular Acceleration Sensors	2004
Roy H. Olsson III	1024-Site Multiplexed Recording Array	
Mohamed Abdelmoneum	Micromechanical Wine-Glass Resonators with Semi-Automatic Post Fabrication Trimming	2005

EECS Computer Science and Engineering Division -- UM

Robert Masiasz	Exact Layout Minimization of Static CMOS Cells	1991
Yi-Chieh Chang	Load Sharing in Distributed Real-Time Systems	1991
Ayman Kayssi	Timing Macromodels for Digital Circuits	1992
James Dolter	Multi-Mode Router for Real-Time Systems	1993
Khushro Shahookar	Genetic Algorithm for VLSI CAD	1994
Kunle Olukatan	Technology-Organization Tradeoffs in Computer Architecture	1994
Rich Uhlig	Trap-Driven Memory Simulation	1994
Dan Kaiser	Loop Optimization for Multi-Issue Architectures	1994
Joao Paulo Silva	Algorithms for Satisfiability Problems in Comb. Circuits	1995
Mickael Batek	Test-Driven Transformations in Logic Design	1995
Krishnendu Chakrabarty	Test Response Compaction for Built-In Self Test	1995
Michael Golden	Branch and Load Hazards in Pipelined Microprocessors	1995
Stuart Daniel	Router Architecture for Point-to-Point Networks	1996
Jennifer Rexford	Tailoring Routing Architectures to Performance Requirements	1996
I-Cheng Chen	Branch Prediction via Data Compression	1997
Chih-Chieh Lee	Cache/Branch Prediction Tradeoffs	1997
Bruce Jacob	Operating System Issues in a High Performance Processor	1997
James Dundas	Data Prefetch & Branch Prediction	1998
V. Chandramouli	Timing Models with State Dependency	1998
Hussain Al-Asaad	Verification via Testing-Simulation	1998
Michael Riepe	Leaf Cell Generation	1998
Hakan Yalcin	Timing Analysis	1998
Edward Tom	Improving Cache Performance via Active Management	1999
David Van Campenhout	Design Verification of Microprocessors	1999
Hyungwon Kim	Testing and Synthesis of Systems-On-A-Chip	1999
Jared Stark	Out of order Fetch, Decode, and Issue	2000
Charles Lefurgy	Architecture/Software Interactions in Microprocessors	2000
Brian Davis	Memory Systems Design and DRAM Interfaces	2000
Lea Hwang Lee	Pseudo-Vector Machine For Embedded Applications	2000
Marius Evers	Improving Branch Prediction by Understanding Branch Behavior	2000
Sung-Whan Moon	Hardware Support for Quality-of-Service Guarantees in Packet Switched Networks	2001

Gijoon Nam	A Boolean-Based Layout Approach and Its Application to FPGA Routing	2001
Avinoam Nomik Eden	Branch Prediction - Stretching the Limits	2001
Victor Kravets	Constructive Multi-Level Synthesis by Way of Functional Properties	2001
Hsieu-Hsin Lee	Study of Data Cache Accesses	2001
Matthew A. Postiff	Compiler Optimizations for Register File Use	2001
Hsien-Hsin Sean Lee	Improving Energy and Performance of Data Cache Architectures by Exploiting Memory Reference Characteristics	2001
Joonhwan Yi	High-Level Function and Delay Testing for Digital Circuits	2002
Alejandro Gonzalez	Resonant-tunneling diodes in high-performance digital circuit applications	2002
Fadi Ahmed Aloul	Scalable Algorithms for Boolean Satisfiability enabled by Problem Structure	2003
Paul Racunas	Reducing Load Latency	2003
Robert Chappell	Simultaneous Subordinate Microthreading	2004
Rajeev Krishna	Application-specific Processors	2004
Rajiv Ravindran	Hardware/Software Techniques for Memory Power Optimizations in Embedded Processors	2007

Bioengineering -- UM

Steve Freeman	Digital Signal Processing for Ultrasound Images	1998
---------------	---	------

Chemistry Department -- UM

Hyoung-Sik Yim	Potentiometric Gas Sensor	1993
Dong Liu	Solid-State Ion/Biosensor Arrays	1994
Ravi Meruva	Gas and Ion Sensing Systems for Biomedical Applications	1997
Bong Oh	Electrochemical Nitric Oxide (NO) Sensor	2003
Hairong Zhang	Redox Enabled Immunosensor	2007
Mark Mendenhall	Glass Nanopore Ion-selective Electrodes	2008
Deric Holden	Electrochemical Detection of Single Molecules	2011 exp.

Physics Department -- UM

Nathan Eddy	Analysis of the Top Quark Mass	1998
Eugene Guillian	Top Quark Decay Kinematics	1999

Professional Sketch

The Department of Electrical Engineering and Computer Science at the University of Michigan was a great place for me to grow up academically. The foresight and efforts of those who went before me provided a world-class solid-state laboratory and computing environment which enabled me to be productive in research and effective in teaching. The Department had the perfect environment for me, and it also had needs which I was able to fill. At Michigan I found excellent role models, a stimulating intellectual atmosphere, a spirit of cooperation among the Solid-State Lab faculty, and able and willing collaborators. I received valuable experience as an academic administrator, and was honored to receive research and teaching awards in the department, college and state levels, and to be the recipient of the Arthur F. Thurnau Endowed Professorship.

The years working in industry before the Ph.D. and my industrial sabbaticals provided a perspective which brought relevance to my teaching. I was pleased to hear from many students that the courses they had with me prepared them well for their careers.

I was able to continue my own Ph.D. research, explore new topics, and manage large projects. My research group developed miniature solid-state sensors for environmental (water chemistry, heavy metals, nanoparticles) and biomedical (blood electrolytes and gases, pathogens, neurochemicals) applications. We evaluated and contributed to the development of the most advanced VLSI technologies, designed some of the fastest microprocessors of their time, some of the lowest power microcontrollers, and some of the most highly integrated microsystems. Our semiconductor clocking technology may significantly change electronic systems. The solid-state liquid chemical sensors were commercialized in two startup companies, and the all-silicon clock generators were commercialized in a third company.

In the role of chairman of the MOSIS Advisory Council on Education I have been able to contribute as a leader in VLSI education, raising funds from industry and government to support the fabrication of integrated circuits designed in university courses throughout the U.S. The availability of fabrication has a major impact on the number of VLSI courses offered and on the quality of education received by students in those courses

Serving as Dean of Engineering at the University of Utah has been a great opportunity for me. My prior experience was pertinent, as the U has focused on teaching quality, growth in research and technology transfer. I strive to be an example by maintaining an active research program. With Engineering Initiative support from the State and the University, private support for facilities, programs and scholarships, and the USTAR initiative, the College of Engineering is on a steep growth curve in quality and size. Since 1999, the size of our tenure-track faculty has grown by 46% and the number of degrees granted has grown by 76%. In the past six years our research expenditures have doubled. The quality of our students, both undergraduate and graduate, continues to rise. The physical and social environments have improved, with the Warnock Engineering Building and building renovations, the Engineering Alumni Association, Engineering Honors, Engineering Living and Learning Center, Tutoring Center, junior faculty/dean meetings, faculty research reports to the deans, and more faculty social events. Average course evaluations have steadily improved, and our faculty are advising twice as many Ph.D. students. The College of Engineering outreach group is truly making a difference in the pipeline into engineering, and our Public Relations team is doing more than ever to publicize the accomplishments of our faculty and students. In the past three years, 35 companies have spun out of Engineering. This progress has required resources, incentives, and broad faculty participation. There is every reason to believe that the momentum will continue.

Brown's research group has been one of only a few at universities that had the capability of prototyping modern microprocessors. Intel and AMD hired Ph.D. graduates from this group, who contributed to the design of their fastest microprocessors. Mixed Signal Microprocessors: (K. Kraver, F. Gebara, R. Senger, E. Marsman, N. Gaskin, O. Novak, B. Redd). Working with colleagues at Michigan, Prof. Brown and several colleagues to document and disseminate the curriculum domestically and internationally. Short Courses and Workshops. Course. Publications. CURRICULUM VITAE. Richard Paul Woychik. Address and Phone. 23. Brown GM, Allison DP, Warmack RJ, Jacobson KB, Larimer FW, Woychik RP, Carrier WL. Electrochemically induced adsorption of radio-labeled DNA on gold and HOPG substrates for STM investigations. *Ultramicroscopy* 38(3-4):253-64, 1991. PubMed PMID: 1785142. 24. Allison, D.A., R.J. Warmack, L.A. Bottomley, T. Thundat, G.M. Brown, R.P. Woychik, J.J. Schrick, and K.B. Jacobson, T.L. Ferrell. Scanning tunneling microscopy of DNA: A novel technique using radiolabeled DNA to evaluate chemically mediated attachment of DNA to surfaces. *Ultramicroscopy* 42:1088-1094, 1992. 25. Allison, D.A., L.A. Bottoml